Patroni Documentation

Release 1.5.6

Zalando SE

CONTENTS:

1	Intro	Introduction			
	1.1	Development Status	3		
	1.2	Technical Requirements/Installation	3		
	1.3	Running and Configuring	4		
	1.4	YAML Configuration	4		
	1.5	Environment Configuration	4		
	1.6	Replication Choices	4		
	1.7	Applications Should Not Use Superusers	4		
2	Patro	oni configuration	7		
3	REST	ΓΑΡΙ	11		
	3.1	GET /config	11		
	3.2	PATCH /config	11		
	3.3	PUT /config	13		
4 Env	Envi	ronment Configuration Settings	15		
	4.1	Global/Universal	15		
	4.2	Bootstrap configuration	15		
	4.3	Consul	16		
	4.4	Etcd	16		
	4.5	Exhibitor	17		
	4.6	Kubernetes	17		
	4.7	PostgreSQL	17		
	4.8	REST API	18		
	4.9	ZooKeeper	18		
5	VAM	L Configuration Settings	19		
J	5.1	Global/Universal	19		
	5.2	Log	19		
	5.3	Bootstrap configuration	19		
	5.4	Consul	21		
	5.5	Etcd	22		
	5.6	Exhibitor	22		
	5.7	Kubernetes	22		
	5.8		23		
	5.8 5.9	PostgreSQL			
		REST API	24		
	5.10	CTL	25		
	5.11	ZooKeeper	25		
	5.12	Watchdog	25		

6	Replica imaging and bootstrap	27
	6.1 Bootstrap	27
	6.2 Building replicas	28
	6.3 Standby cluster	29
7	Replication modes	31
•	7.1 Asynchronous mode durability	31
	7.2 PostgreSQL synchronous replication	31
	7.3 Synchronous mode	32
	7.4 Synchronous mode implementation	32
0		۰-
8	Pause/Resume mode for the cluster	35
	8.1 The goal	35 35
	8.2 The implementation	35 35
	6.5 Osci guide	33
9	Using Patroni with Kubernetes	37
	9.1 Use Endpoints	37
	9.2 Use ConfigMaps	37
	9.3 Configuration	37
	9.4 Examples	38
10	Watchdog support	39
10	10.1 Setting up software watchdog on Linux	40
11	Release notes	41
	11.1 Version 1.5.6	41
	11.2 Version 1.5.5	42
	11.3 Version 1.5.4	42
	11.4 Version 1.5.3	44
	11.5 Version 1.5.2	44
	11.6 Version 1.5.1	44
	11.7 Version 1.5.0	45
	11.8 Version 1.4.6	46
	11.9 Version 1.4.5	46
	11.10 Version 1.4.4	47
	11.11 Version 1.4.3	49
	11.12 Version 1.4.2	49 50
	11.14 Version 1.4	50
	11.15 Version 1.3.6	52
	11.16 Version 1.3.5	52
	11.17 Version 1.3.4	53
	11.18 Version 1.3.3	53
	11.19 Version 1.3.2	54
	11.20 Version 1.3.1	54
	11.21 Version 1.3	54
	11.22 Version 1.2	56
	11.23 Version 1.1	58
	11.24 Version 1.0	60
	11.25 Version 0.90	61
	11.26 Version 0.80	63
4 -		<i>-</i> -
12	Contributing guidelines	65
	12.1 Chatting	65

13 Indices and tables						
	12.3	Contributing a pull request	6:			
	12.2	Reporting issues	6.			

Patroni is a template for you to create your own customized, high-availability solution using Python and - for maximum accessibility - a distributed configuration store like ZooKeeper, etcd, Consul or Kubernetes. Database engineers, DBAs, DevOps engineers, and SREs who are looking to quickly deploy HA PostgreSQL in the datacenter-or anywhere else-will hopefully find it useful.

We call Patroni a "template" because it is far from being a one-size-fits-all or plug-and-play replication system. It will have its own caveats. Use wisely. There are many ways to run high availability with PostgreSQL; for a list, see the PostgreSQL Documentation.

Note to Kubernetes users: Patroni can run natively on top of Kubernetes. Take a look at the *Kubernetes* chapter of the Patroni documentation.

CONTENTS: 1

2 CONTENTS:

CHAPTER

ONE

INTRODUCTION

Patroni originated as a fork of Governor, the project from Compose. It includes plenty of new features.

For an example of a Docker-based deployment with Patroni, see Spilo, currently in use at Zalando.

For additional background info, see:

- PostgreSQL HA with Kubernetes and Patroni, talk by Josh Berkus at KubeCon 2016 (video)
- Feb. 2016 Zalando Tech blog post

1.1 Development Status

Patroni is in active development and accepts contributions. See our *Contributing* section below for more details.

We report new releases information here.

1.2 Technical Requirements/Installation

Pre-requirements for Mac OS

To install requirements on a Mac, run the following:

brew install postgresql etcd haproxy libyaml python

General installation for pip

Patroni can be installed with pip:

pip install patroni[dependencies]

where dependencies can be either empty, or consist of one or more of the following:

etcd python-etcd module in order to use Etcd as DCS

consul python-consul module in order to use Consul as DCS

zookeeper kazoo module in order to use Zookeeper as DCS

exhibitor kazoo module in order to use Exhibitor as DCS (same dependencies as for Zookeeper)

kubernetes kubernetes module in order to use Kubernetes as DCS in Patroni

aws boto in order to use AWS callbacks

For example, the command in order to install Patroni together with dependencies for Etcd as a DCS and AWS callbacks is:

```
pip install patroni[etcd,aws]
```

Note that external tools to call in the replica creation or custom bootstrap scripts (i.e. WAL-E) should be installed independently of Patroni.

1.3 Running and Configuring

The following section assumes Patroni repository as being cloned from https://github.com/zalando/patroni. Namely, you will need example configuration files *postgres0.yml* and *postgres1.yml*. If you installed Patroni with pip, you can obtain those files from the git repository and replace ./patroni.py below with patroni command.

To get started, do the following from different terminals:

```
> etcd --data-dir=data/etcd
> ./patroni.py postgres0.yml
> ./patroni.py postgres1.yml
```

You will then see a high-availability cluster start up. Test different settings in the YAML files to see how the cluster's behavior changes. Kill some of the components to see how the system behaves.

Add more postgres*.yml files to create an even larger cluster.

Patroni provides an HAProxy configuration, which will give your application a single endpoint for connecting to the cluster's leader. To configure, run:

```
> haproxy -f haproxy.cfg
```

```
> psql --host 127.0.0.1 --port 5000 postgres
```

1.4 YAML Configuration

Go *here* for comprehensive information about settings for etcd, consul, and ZooKeeper. And for an example, see postgres0.yml.

1.5 Environment Configuration

Go here for comprehensive information about configuring (overriding) settings via environment variables.

1.6 Replication Choices

Patroni uses Postgres' streaming replication, which is asynchronous by default. Patroni's asynchronous replication configuration allows for maximum_lag_on_failover settings. This setting ensures failover will not occur if a follower is more than a certain number of bytes behind the leader. This setting should be increased or decreased based on business requirements. It's also possible to use synchronous replication for better durability guarantees. See *replication modes documentation* for details.

1.7 Applications Should Not Use Superusers

When connecting from an application, always use a non-superuser. Patroni requires access to the database to function properly. By using a superuser from an application, you can potentially use the entire connection pool, including the connections reserved for superusers, with the superuser_reserved_connections setting. If Patroni cannot access the Primary because the connection pool is full, behavior will be undesirable.

PATRONI CONFIGURATION

Patroni configuration is stored in the DCS (Distributed Configuration Store). There are 3 types of configuration:

- **Dynamic configuration.** These options can be set in DCS at any time. If the options changed are not part of the startup configuration, they are applied asynchronously (upon the next wake up cycle) to every node, which gets subsequently reloaded. If the node requires a restart to apply the configuration (for options with context postmaster, if their values have changed), a special flag, pending_restart indicating this, is set in the members.data JSON. Additionally, the node status also indicates this, by showing "restart_pending": true.
- Local *configuration* (patroni.yml). These options are defined in the configuration file and take precedence over dynamic configuration. patroni.yml could be changed and reload in runtime (without restart of Patroni) by sending SIGHUP to the Patroni process or by performing POST /reload REST-API request.
- Environment configuration. It is possible to set/override some of the "Local" configuration parameters with environment variables. Environment configuration is very useful when you are running in a dynamic environment and you don't know some of the parameters in advance (for example it's not possible to know your external IP address when you are running inside docker).

Some of the PostgreSQL parameters must hold the same values on the master and the replicas. For those, values set either in the local patroni configuration files or via the environment variables take no effect. To alter or set their values one must change the shared configuration in the DCS. Below is the actual list of such parameters together with the default values:

• max_connections: 100

• max_locks_per_transaction: 64

max_worker_processes: 8

• max_prepared_transactions: 0

• wal_level: hot_standby

• wal_log_hints: on

• track commit timestamp: off

For the parameters below, PostgreSQL does not require equal values among the master and all the replicas. However, considering the possibility of a replica to become the master at any time, it doesn't really make sense to set them differently; therefore, Patroni restricts setting their values to the Dynamic configuration

• max_wal_senders: 5

• max_replication_slots: 5

• wal_keep_segments: 8

These parameters are validated to ensure they are sane, or meet a minimum value.

There are some other Postgres parameters controlled by Patroni:

- listen_addresses is set either from postgresql.listen or from PATRONI_POSTGRESQL_LISTEN environment variable
- port is set either from postgresql.listen or from PATRONI_POSTGRESQL_LISTEN environment variable
- cluster_name is set either from scope or from PATRONI_SCOPE environment variable
- · hot standby: on

To be on the safe side parameters from the above lists are not written into postgresql.conf, but passed as a list of arguments to the pq_ctl start which gives them the highest precedence, even above ALTER SYSTEM

When applying the local or dynamic configuration options, the following actions are taken:

- The node first checks if there is a postgresql.base.conf or if the custom_conf parameter is set.
- If the *custom_conf* parameter is set, it will take the file specified on it as a base configuration, ignoring *post-gresql.base.conf* and *postgresql.conf*.
- If the *custom_conf* parameter is not set and *postgresql.base.conf* exists, it contains the renamed "original" configuration and it will be used as a base configuration.
- If there is no *custom_conf* nor *postgresql.base.conf*, the original postgresql.conf is taken and renamed to postgresql.base.conf.
- The dynamic options (with the exceptions above) are dumped into the postgresql.conf and an include is set in postgresql.conf to the used base configuration (either postgresql.base.conf or what is on <code>custom_conf</code>). Therefore, we would be able to apply new options without re-reading the configuration file to check if the include is present not.
- Some parameters that are essential for Patroni to manage the cluster are overridden using the command line.
- If some of the options that require restart are changed (we should look at the context in pg_settings and at the actual values of those options), a pending_restart flag of a given node is set. This flag is reset on any restart.

The parameters would be applied in the following order (run-time are given the highest priority):

- 1. load parameters from file *postgresql.base.conf* (or from a *custom_conf* file, if set)
- 2. load parameters from file postgresql.conf
- 3. load parameters from file *postgresql.auto.conf*
- 4. run-time parameter using -o -name=value

This allows configuration for all the nodes (2), configuration for a specific node using *ALTER SYSTEM* (3) and ensures that parameters essential to the running of Patroni are enforced (4), as well as leaves room for configuration tools that manage *postgresql.conf* directly without involving Patroni (1).

Also, the following Patroni configuration options can be changed only dynamically:

- ttl: 30
- loop_wait: 10
- retry_timeouts: 10
- maximum_lag_on_failover: 1048576
- · check_timeline: false
- postgresql.use_slots: true

Upon changing these options, Patroni will read the relevant section of the configuration stored in DCS and change its run-time values.

Patroni nodes are dumping the state of the DCS options to disk upon for every change of the configuration into the file patroni.dynamic.json located in the Postgres data directory. Only the master is allowed to restore these options from the on-disk dump if these are completely absent from the DCS or if they are invalid.

CHAPTER

THREE

REST API

We provide a REST API endpoint for working with dynamic configuration.

3.1 GET /config

Get current version of dynamic configuration.

```
$ curl -s localhost:8008/config | jq .
  "ttl": 30,
  "loop_wait": 10,
  "retry_timeout": 10,
  "maximum_lag_on_failover": 1048576,
  "postgresql": {
   "use_slots": true,
    "use_pg_rewind": true,
    "parameters": {
      "hot_standby": "on",
      "wal_log_hints": "on",
      "wal_keep_segments": 8,
      "wal_level": "hot_standby",
      "max_wal_senders": 5,
      "max_replication_slots": 5,
      "max_connections": "100"
  }
```

3.2 PATCH /config

Change existing configuration.

(continues on next page)

(continued from previous page)

```
"retry_timeout": 10,
"postgresql": {
    "use_slots": true,
    "use_pg_rewind": true,
    "parameters": {
        "hot_standby": "on",
        "wal_log_hints": "on",
        "wal_keep_segments": 8,
        "wal_level": "hot_standby",
        "max_wal_senders": 5,
        "max_replication_slots": 5,
        "max_connections": "101"
     }
}
```

The above REST API call patches the existing configuration and returns the new configuration.

Let's check that the node processed this configuration. First of all it should start printing log lines every 5 seconds (loop_wait=5). The change of "max_connections" requires a restart, so the "restart_pending" flag should be exposed:

```
$ curl -s http://localhost:8008/patroni | jq .
{
    "pending_restart": true,
    "database_system_identifier": "6287881213849985952",
    "postmaster_start_time": "2016-06-13 13:13:05.211 CEST",
    "xlog": {
        "location": 2197818976
    },
    "patroni": {
        "scope": "batman",
        "version": "1.0"
    },
    "state": "running",
    "role": "master",
    "server_version": 90503
}
```

Removing parameters:

If you want to remove (reset) some setting just patch it with null:

(continues on next page)

(continued from previous page)

```
"wal_level": "hot_standby",
    "wal_log_hints": "on",
    "max_wal_senders": 5,
    "max_replication_slots": 5
}
}
```

Above call removes postgresql.parameters.max_connections from the dynamic configuration.

3.3 PUT /config

It's also possible to perform the full rewrite of an existing dynamic configuration unconditionally:

```
$ curl -s -XPUT -d \
        '{"maximum_lag_on_failover":1048576, "retry_timeout":10, "postgresql":{"use_
→slots":true, "use_pg_rewind":true, "parameters":{ "hot_standby":"on", "wal_log_hints":
→"on", "wal_keep_segments":8, "wal_level": "hot_standby", "unix_socket_directories": ".",
→"max_wal_senders":5}},"loop_wait":3,"ttl":20}' \
        http://localhost:8008/config | jq .
  "ttl": 20,
  "maximum_lag_on_failover": 1048576,
  "retry_timeout": 10,
  "postgresql": {
    "use_slots": true,
    "parameters": {
      "hot_standby": "on",
      "unix_socket_directories": ".",
      "wal_keep_segments": 8,
      "wal_level": "hot_standby",
      "wal_log_hints": "on",
      "max_wal_senders": 5
    "use_pg_rewind": true
  "loop_wait": 3
```

3.3. PUT /config 13

ENVIRONMENT CONFIGURATION SETTINGS

It is possible to override some of the configuration parameters defined in the Patroni configuration file using the system environment variables. This document lists all environment variables handled by Patroni. The values set via those variables always take precedence over the ones set in the Patroni configuration file.

4.1 Global/Universal

- PATRONI_CONFIGURATION: it is possible to set the entire configuration for the Patroni via PATRONI_CONFIGURATION environment variable. In this case any other environment variables will not be considered!
- PATRONI_NAME: name of the node where the current instance of Patroni is running. Must be unique for the cluster.
- PATRONI_NAMESPACE: path within the configuration store where Patroni will keep information about the cluster. Default value: "/service"
- PATRONI_SCOPE: cluster name
- PATRONI_LOG_LEVEL: sets the general logging level. Default value is INFO (see the docs for Python logging)
- PATRONI_LOG_FORMAT: sets the log formatting string. Default value is %(asctime)s %(levelname)s: %(message)s (see the LogRecord attributes)
- PATRONI LOG DATEFORMAT: sets the datetime formatting string, (see the formatTime() documentation)
- PATRONI_LOG_DIR: Directory to write application logs to. The directory must exist and be writable by the user executing Patroni. If you set this env variable, the application will retain 4 25MB logs by default. You can tune those retention values with PATRONI_LOG_FILE_NUM and PATRONI_LOG_FILE_SIZE (see below).
- PATRONI_LOG_FILE_NUM: The number of application logs to retain.
- PATRONI_LOG_FILE_SIZE: Size of patroni.log file (in bytes) that triggers a log rolling.
- PATRONI_LOG_LOGGERS: Redefine logging level per python module. Example PATRONI_LOG_LOGGERS="{patroni.postmaster: WARNING, urllib3: DEBUG}"

4.2 Bootstrap configuration

It is possible to create new database users right after the successful initialization of a new cluster. This process is defined by the following variables:

PATRONI_<username>_PASSWORD='<password>'

PATRONI_<username>_OPTIONS='list,of,options'

Example: defining PATRONI_admin_PASSWORD=strongpasswd and PATRONI_admin_OPTIONS='createrole, createdb' will cause creation of the user admin with the password strongpasswd that is allowed to create other users and databases.

4.3 Consul

- PATRONI_CONSUL_HOST: the host:port for the Consul endpoint.
- PATRONI_CONSUL_URL: url for the Consul, in format: http(s)://host:port
- PATRONI_CONSUL_PORT: (optional) Consul port
- PATRONI_CONSUL_SCHEME: (optional) http or https, defaults to http
- PATRONI_CONSUL_TOKEN: (optional) ACL token
- PATRONI_CONSUL_VERIFY: (optional) whether to verify the SSL certificate for HTTPS requests
- PATRONI_CONSUL_CACERT: (optional) The ca certificate. If present it will enable validation.
- PATRONI_CONSUL_CERT: (optional) File with the client certificate
- PATRONI_CONSUL_KEY: (optional) File with the client key. Can be empty if the key is part of certificate.
- PATRONI_CONSUL_DC: (optional) Datacenter to communicate with. By default the datacenter of the host is used.
- PATRONI_CONSUL_CHECKS: (optional) list of Consul health checks used for the session. If not specified
 Consul will use "serfHealth" in additional to the TTL based check created by Patroni. Additional checks,
 in particular the "serfHealth", may cause the leader lock to expire faster than in ttl seconds when the leader
 instance becomes unavailable.
- PATRONI_CONSUL_REGISTER_SERVICE: (optional) whether or not to register a service with the name defined by the scope parameter and the tag master, replica or standby-leader depending on the node's role. Defaults to false
- PATRONI_CONSUL_SERVICE_CHECK_INTERVAL: (optional) how often to perform health check against registered url

4.4 Etcd

- PATRONI_ETCD_PROXY: proxy url for the etcd. If you are connecting to the etcd using proxy, use this parameter instead of PATRONI_ETCD_URL
- PATRONI_ETCD_URL: url for the etcd, in format: http(s)://(username:password@)host:port
- PATRONI_ETCD_HOSTS: list of etcd endpoints in format 'host1:port1','host2:port2',etc...
- PATRONI_ETCD_USE_PROXIES: If this parameter is set to true, Patroni will consider **hosts** as a list of proxies and will not perform a topology discovery of etcd cluster but stick to a fixed list of **hosts**.
- PATRONI_ETCD_PROTOCOL: http or https, if not specified http is used. If the url or proxy is specified will take protocol from them.
- PATRONI ETCD HOST: the host:port for the etcd endpoint.
- PATRONI_ETCD_SRV: Domain to search the SRV record(s) for cluster autodiscovery.
- PATRONI_ETCD_USERNAME: username for etcd authentication.

- PATRONI_ETCD_PASSWORD: password for etcd authentication.
- PATRONI_ETCD_CACERT: The ca certificate. If present it will enable validation.
- PATRONI_ETCD_CERT: File with the client certificate.
- PATRONI_ETCD_KEY: File with the client key. Can be empty if the key is part of certificate.

4.5 Exhibitor

- PATRONI_EXHIBITOR_HOSTS: initial list of Exhibitor (ZooKeeper) nodes in format: 'host1,host2,etc...'. This list updates automatically whenever the Exhibitor (ZooKeeper) cluster topology changes.
- PATRONI_EXHIBITOR_PORT: Exhibitor port.

4.6 Kubernetes

- PATRONI_KUBERNETES_NAMESPACE: (optional) Kubernetes namespace where the Patroni pod is running. Default value is default.
- PATRONI_KUBERNETES_LABELS: Labels in format {label1: value1, label2: value2}. These labels will be used to find existing objects (Pods and either Endpoints or ConfigMaps) associated with the current cluster. Also Patroni will set them on every object (Endpoint or ConfigMap) it creates.
- PATRONI_KUBERNETES_SCOPE_LABEL: (optional) name of the label containing cluster name. Default value is *cluster-name*.
- PATRONI_KUBERNETES_ROLE_LABEL: (optional) name of the label containing Postgres role (*master* or *replica*). Patroni will set this label on the pod it is running in. Default value is *role*.
- PATRONI_KUBERNETES_USE_ENDPOINTS: (optional) if set to true, Patroni will use Endpoints instead of ConfigMaps to run leader elections and keep cluster state.
- PATRONI_KUBERNETES_POD_IP: (optional) IP address of the pod Patroni is running in. This value is required when *PATRONI_KUBERNETES_USE_ENDPOINTS* is enabled and is used to populate the leader endpoint subsets when the pod's PostgreSQL is promoted.
- PATRONI_KUBERNETES_PORTS: (optional) if the Service object has the name for the port, the same name must appear in the Endpoint object, otherwise service won't work. For example, if your service is defined as {Kind: Service, spec: {ports: [{name: postgresql, port: 5432, targetPort: 5432}]}}, then you have to set PATRONI_KUBERNETES_PORTS='{[{"name": "postgresql", "port": 5432}]}' and Patroni will use it for updating subsets of the leader Endpoint. This parameter is used only if PATRONI_KUBERNETES_USE_ENDPOINTS is set.

4.7 PostgreSQL

- PATRONI_POSTGRESQL_LISTEN: IP address + port that Postgres listens to. Multiple comma-separated addresses are permitted, as long as the port component is appended after to the last one with a colon, i.e. listen: 127.0.0.1,127.0.0.2:5432. Patroni will use the first address from this list to establish local connections to the PostgreSQL node.
- PATRONI_POSTGRESQL_CONNECT_ADDRESS: IP address + port through which Postgres is accessible from other nodes and applications.

4.5. Exhibitor

- PATRONI_POSTGRESQL_DATA_DIR: The location of the Postgres data directory, either existing or to be initialized by Patroni.
- PATRONI_POSTGRESQL_CONFIG_DIR: The location of the Postgres configuration directory, defaults to the data directory. Must be writable by Patroni.
- PATRONI_POSTGRESQL_BIN_DIR: Path to PostgreSQL binaries. (pg_ctl, pg_rewind, pg_basebackup, postgres) The default value is an empty string meaning that PATH environment variable will be used to find the executables.
- PATRONI_POSTGRESQL_PGPASS: path to the .pgpass password file. Patroni creates this file before executing pg_basebackup and under some other circumstances. The location must be writable by Patroni.
- PATRONI_REPLICATION_USERNAME: replication username; the user will be created during initialization. Replicas will use this user to access master via streaming replication
- PATRONI_REPLICATION_PASSWORD: replication password; the user will be created during initialization.
- PATRONI_SUPERUSER_USERNAME: name for the superuser, set during initialization (initdb) and later used by Patroni to connect to the postgres. Also this user is used by pg_rewind.
- PATRONI_SUPERUSER_PASSWORD: password for the superuser, set during initialization (initdb).

4.8 REST API

- PATRONI_RESTAPI_CONNECT_ADDRESS: IP address and port to access the REST API.
- PATRONI_RESTAPI_LISTEN: IP address and port that Patroni will listen to, to provide health-check information for HAProxy.
- PATRONI_RESTAPI_USERNAME: Basic-auth username to protect unsafe REST API endpoints.
- PATRONI_RESTAPI_PASSWORD: Basic-auth password to protect unsafe REST API endpoints.
- PATRONI_RESTAPI_CERTFILE: Specifies the file with the certificate in the PEM format. If the certfile is not specified or is left empty, the API server will work without SSL.
- PATRONI_RESTAPI_KEYFILE: Specifies the file with the secret key in the PEM format.

4.9 ZooKeeper

• PATRONI_ZOOKEEPER_HOSTS: comma separated list of ZooKeeper cluster members: "'host1:port1','host2:port2','etc...'". It is important to quote every single entity!

YAML CONFIGURATION SETTINGS

5.1 Global/Universal

- name: the name of the host. Must be unique for the cluster.
- namespace: path within the configuration store where Patroni will keep information about the cluster. Default value: "/service"
- scope: cluster name

5.2 Log

- level: sets the general logging level. Default value is INFO (see the docs for Python logging)
- format: sets the log formatting string. Default value is %(asctime)s %(levelname)s: %(message)s (see the LogRecord attributes)
- dateformat: sets the datetime formatting string. (see the formatTime() documentation)
- **dir**: Directory to write application logs to. The directory must exist and be writable by the user executing Patroni. If you set this value, the application will retain 4 25MB logs by default. You can tune those retention values with *file_num* and *file_size* (see below).
- file_num: The number of application logs to retain.
- file_size: Size of patroni.log file (in bytes) that triggers a log rolling.
- loggers: This section allows redefining logging level per python module
 - patroni.postmaster: WARNING
 - urllib3: DEBUG

5.3 Bootstrap configuration

- dcs: This section will be written into /<namespace>/<scope>/config of a given configuration store after initializing of new configuration.
 - loop_wait: the number of seconds the loop will sleep. Default value: 10
 - ttl: the TTL to acquire the leader lock. Think of it as the length of time before initiation of the automatic failover process. Default value: 30

- retry_timeout: timeout for DCS and PostgreSQL operation retries. DCS or network issues shorter than this will not cause Patroni to demote the leader. Default value: 10
- maximum_lag_on_failover: the maximum bytes a follower may lag to be able to participate in leader election.
- master_start_timeout: the amount of time a master is allowed to recover from failures before failover is triggered. Default is 300 seconds. When set to 0 failover is done immediately after a crash is detected if possible. When using asynchronous replication a failover can cause lost transactions. Best worst case failover time for master failure is: loop_wait + master_start_timeout + loop_wait, unless master_start_timeout is zero, in which case it's just loop_wait. Set the value according to your durability/availability tradeoff.
- synchronous_mode: turns on synchronous replication mode. In this mode a replica will be chosen
 as synchronous and only the latest leader and synchronous replica are able to participate in leader
 election. Synchronous mode makes sure that successfully committed transactions will not be lost at
 failover, at the cost of losing availability for writes when Patroni cannot ensure transaction durability.
 See replication modes documentation for details.
- synchronous_mode_strict: prevents disabling synchronous replication if no synchronous replicas are available, blocking all client writes to the master. See replication modes documentation for details.
- postgresql:
 - * use_pg_rewind: whether or not to use pg_rewind
 - * **use_slots**: whether or not to use replication_slots. Must be False for PostgreSQL 9.3. You should comment out max_replication_slots before it becomes ineligible for leader status.
 - recovery_conf: additional configuration settings written to recovery.conf when configuring follower.
 - * **parameters**: list of configuration settings for Postgres. Many of these are required for replication to work.
- standby_cluster: if this section is defined, we want to bootstrap a standby cluster.
 - * host: an address of remote master
 - * **port**: a port of remote master
 - * **primary_slot_name**: which slot on the remote master to use for replication. This parameter is optional, the default value is derived from the instance name (see function <code>slot_name_from_member_name</code>).
 - * **create_replica_methods**: an ordered list of methods that can be used to bootstrap standby leader from the remote master, can be different from the list defined in *PostgreSQL*
 - restore_command: command to restore WAL records from the remote master to standby leader, can be different from the list defined in PostgreSQL
 - * archive_cleanup_command: cleanup command for standby leader
 - * **recovery_min_apply_delay**: how long to wait before actually apply WAL records on a standby leader
- slots: define permanent replication slots. These slots will be preserved during switchover/failover. Patroni will tr
 - st my_slot_name: the name of replication slot. It is the responsibility of the operator to make sure that there
 - type: slot type. Could be physical or logical. If the slot is logical, you have to additionally define database and plugin.

- · database: the database name where logical slots should be created.
- · plugin: the plugin name for the logical slot.
- method: custom script to use for bootstrapping this cluster. See *custom bootstrap methods documentation* for details. When initdb is specified revert to the default initdb command. initdb is also triggered when no method parameter is present in the configuration file.
- initdb: List options to be passed on to initdb.
 - - data-checksums: Must be enabled when pg_rewind is needed on 9.3.
 - - encoding: UTF8: default encoding for new databases.
 - - locale: UTF8: default locale for new databases.
- pg_hba: list of lines that you should add to pg_hba.conf.
 - - host all all 0.0.0.0/0 md5.
 - - host replication replicator 127.0.0.1/32 md5: A line like this is required for replication.
- · users: Some additional users which need to be created after initializing new cluster
 - admin: the name of user
 - * password: zalando:
 - * options: list of options for CREATE USER statement
 - · createrole
 - · createdb
- post_bootstrap or post_init: An additional script that will be executed after initializing the cluster. The script receives a connection string URL (with the cluster superuser as a user name). The PGPASSFILE variable is set to the location of pgpass file.

5.4 Consul

Most of the parameters are optional, but you have to specify one of the host or url

- **host**: the host:port for the Consul endpoint, in format: http(s)://host:port
- url: url for the Consul endpoint
- port: (optional) Consul port
- scheme: (optional) http or https, defaults to http
- token: (optional) ACL token
- verify: (optional) whether to verify the SSL certificate for HTTPS requests
- cacert: (optional) The ca certificate. If present it will enable validation.
- cert: (optional) file with the client certificate
- key: (optional) file with the client key. Can be empty if the key is part of cert.
- dc: (optional) Datacenter to communicate with. By default the datacenter of the host is used.
- **checks**: (optional) list of Consul health checks used for the session. If not specified Consul will use "serfHealth" in additional to the TTL based check created by Patroni. Additional checks, in particular the "serfHealth", may cause the leader lock to expire faster than in *ttl* seconds when the leader instance becomes unavailable

5.4. Consul 21

- register_service: (optional) whether or not to register a service with the name defined by the scope parameter and the tag master, replica or standby-leader depending on the node's role. Defaults to false
- service_check_interval: (optional) how often to perform health check against registered url

5.5 Etcd

Most of the parameters are optional, but you have to specify one of the host, hosts, url, proxy or srv

- host: the host:port for the etcd endpoint.
- hosts: list of etcd endpoint in format host1:port1,host2:port2,etc... Could be a comma separated string or an actual yaml list.
- **use_proxies**: If this parameter is set to true, Patroni will consider **hosts** as a list of proxies and will not perform a topology discovery of etcd cluster.
- url: url for the etcd
- proxy: proxy url for the etcd. If you are connecting to the etcd using proxy, use this parameter instead of url
- srv: Domain to search the SRV record(s) for cluster autodiscovery.
- **protocol**: (optional) http or https, if not specified http is used. If the **url** or **proxy** is specified will take protocol from them.
- username: (optional) username for etcd authentication.
- password: (optional) password for etcd authentication.
- cacert: (optional) The ca certificate. If present it will enable validation.
- cert: (optional) file with the client certificate.
- key: (optional) file with the client key. Can be empty if the key is part of cert.

5.6 Exhibitor

- **hosts**: initial list of Exhibitor (ZooKeeper) nodes in format: 'host1,host2,etc...'. This list updates automatically whenever the Exhibitor (ZooKeeper) cluster topology changes.
- poll_interval: how often the list of ZooKeeper and Exhibitor nodes should be updated from Exhibitor
- port: Exhibitor port.

5.7 Kubernetes

- namespace: (optional) Kubernetes namespace where Patroni pod is running. Default value is default.
- labels: Labels in format {label1: value1, label2: value2}. These labels will be used to find existing objects (Pods and either Endpoints or ConfigMaps) associated with the current cluster. Also Patroni will set them on every object (Endpoint or ConfigMap) it creates.
- scope_label: (optional) name of the label containing cluster name. Default value is *cluster-name*.
- **role_label**: (optional) name of the label containing role (master or replica). Patroni will set this label on the pod it runs in. Default value is role.

- use_endpoints: (optional) if set to true, Patroni will use Endpoints instead of ConfigMaps to run leader elections and keep cluster state.
- **pod_ip**: (optional) IP address of the pod Patroni is running in. This value is required when *use_endpoints* is enabled and is used to populate the leader endpoint subsets when the pod's PostgreSQL is promoted.
- ports: (optional) if the Service object has the name for the port, the same name must appear in the Endpoint object, otherwise service won't work. For example, if your service is defined as {Kind: Service, spec: {ports: [{name: postgresql, port: 5432, targetPort: 5432}]}}, then you have to set kubernetes.ports: {[{"name": "postgresql", "port": 5432}]} and Patroni will use it for updating subsets of the leader Endpoint. This parameter is used only if *kubernetes.use_endpoints* is set.

5.8 PostgreSQL

- authentication:
 - superuser:
 - * **username**: name for the superuser, set during initialization (initdb) and later used by Patroni to connect to the postgres.
 - * password: password for the superuser, set during initialization (initdb).
 - replication:
 - * **username**: replication username; the user will be created during initialization. Replicas will use this user to access master via streaming replication
 - * password: replication password; the user will be created during initialization.
- callbacks: callback scripts to run on certain actions. Patroni will pass the action, role and cluster name. (See scripts/aws.p
 - on_reload: run this script when configuration reload is triggered.
 - on_restart: run this script when the postgres restarts (without changing role).
 - on_role_change: run this script when the postgres is being promoted or demoted.
 - on_start: run this script when the postgres starts.
 - on_stop: run this script when the postgres stops.
- connect address: IP address + port through which Postgres is accessible from other nodes and applications.
- **create_replica_methods**: an ordered list of the create methods for turning a Patroni node into a new replica. "basebackup" is the default method; other methods are assumed to refer to scripts, each of which is configured as its own config item. See *custom replica creation methods documentation* for further explanation.
- data_dir: The location of the Postgres data directory, either existing or to be initialized by Patroni.
- **config_dir**: The location of the Postgres configuration directory, defaults to the data directory. Must be writable by Patroni.
- bin_dir: Path to PostgreSQL binaries (pg_ctl, pg_rewind, pg_basebackup, postgres). The default value is an empty string meaning that PATH environment variable will be used to find the executables.
- **listen**: IP address + port that Postgres listens to; must be accessible from other nodes in the cluster, if you're using streaming replication. Multiple comma-separated addresses are permitted, as long as the port component is appended after to the last one with a colon, i.e. listen: 127.0.0.1,127.0.0.2:5432. Patroni will use the first address from this list to establish local connections to the PostgreSQL node.

5.8. PostgreSQL 23

- use_unix_socket: specifies that Patroni should prefer to use unix sockets to connect to the cluster. Default value is false. If unix_socket_directories is definded, Patroni will use first suitable value from it to connect to the cluster and fallback to tcp if nothing is suitable. If unix_socket_directories is not specified in postgresql.parameters, Patroni will assume that default value should be used and omit host from connection parameters.
- pgpass: path to the .pgpass password file. Patroni creates this file before executing pg_basebackup, the post_init script and under some other circumstances. The location must be writable by Patroni.
- recovery conf: additional configuration settings written to recovery.conf when configuring follower.
- **custom_conf**: path to an optional custom postgresql.conf file, that will be used in place of postgresql.base.conf. The file must exist on all cluster nodes, be readable by PostgreSQL and will be included from its location on the real postgresql.conf. Note that Patroni will not monitor this file for changes, nor backup it. However, its settings can still be overridden by Patroni's own configuration facilities see *dynamic configuration* for details.
- parameters: list of configuration settings for Postgres. Many of these are required for replication to work.
- pg_hba: list of lines that Patroni will use to generate pg_hba.conf. This parameter has higher priority than bootstra
 - host all all 0.0.0.0/0 md5.
 - - host replication replicator 127.0.0.1/32 md5: A line like this is required for replication.
- pg_ctl_timeout: How long should pg_ctl wait when doing start, stop or restart. Default value is 60 seconds.
- use pg rewind: try to use pg rewind on the former leader when it joins cluster as a replica.
- remove_data_directory_on_rewind_failure: If this option is enabled, Patroni will remove postgres data directory and recreate replica. Otherwise it will try to follow the new leader. Default value is false.
- remove_data_directory_on_diverged_timelines: Patroni will remove postgres data directory and recreate replica if it notices that timelines are diverging and the former master can not start streaming from the new master. This option is useful when pg_rewind can not be used. Default value is **false**.
- replica_method: for each create_replica_methods other than basebackup, you would add a configuration section of the same name. At a minimum, this should include "command" with a full path to the actual script to be executed. Other configuration parameters will be passed along to the script in the form "parameter=value".

5.9 REST API

- connect_address: IP address (or hostname) and port, to access the Patroni's REST API. All the members of the cluster must be able to connect to this address, so unless the Patroni setup is intended for a demo inside the localhost, this address must be a non "localhost" or loopback addres (ie: "localhost" or "127.0.0.1"). It can serve as a endpoint for HTTP health checks (read below about the "listen" REST API parameter), and also for user queries (either directly or via the REST API), as well as for the health checks done by the cluster members during leader elections (for example, to determine whether the master is still running, or if there is a node which has a WAL position that is ahead of the one doing the query; etc.) The connect_address is put in the member key in DCS, making it possible to translate the member name into the address to connect to its REST API.
- **listen**: IP address (or hostname) and port that Patroni will listen to for the REST API to provide also the same health checks and cluster messaging between the participating nodes, as described above. to provide health-check information for HAProxy (or any other load balancer capable of doing a HTTP "OPTION" or "GET" checks).
- · Optional:

- authentication:

- * username: Basic-auth username to protect unsafe REST API endpoints.
- * password: Basic-auth password to protect unsafe REST API endpoints.
- **certfile**: Specifies the file with the certificate in the PEM format. If the certfile is not specified or is left empty, the API server will work without SSL.
- **keyfile**: Specifies the file with the secret key in the PEM format.

5.10 CTL

· Optional:

- insecure: Allow connections to REST API without verifying SSL certs.
- cacert: Specifices the file with the CA_BUNDLE file or directory with certificates of trusted CAs
 to use while verifying REST API SSL certs.
- **certfile**: Specifies the file with the certificate in the PEM format to use while verifying REST API SSL certs. If not provided patronictl will use the value provided for REST API "certfile" parameter.

5.11 ZooKeeper

• hosts: list of ZooKeeper cluster members in format: ['host1:port1', 'host2:port2', 'etc...'].

5.12 Watchdog

- mode: off, automatic or required. When off watchdog is disabled. When automatic watchdog will be used if available, but ignored if it is not. When required the node will not become a leader unless watchdog can be successfully enabled.
- device: Path to watchdog device. Defaults to /dev/watchdog.
- safety_margin: Number of seconds of safety margin between watchdog triggering and leader key expiration.

5.10. CTL 25

CHAPTER

SIX

REPLICA IMAGING AND BOOTSTRAP

Patroni allows customizing creation of a new replica. It also supports defining what happens when the new empty cluster is being bootstrapped. The distinction between two is well defined: Patroni creates replicas only if the initialize key is present in DCS for the cluster. If there is no initialize key - Patroni calls bootstrap exclusively on the first node that takes the initialize key lock.

6.1 Bootstrap

PostgreSQL provides initab command to initialize a new cluster and Patroni calls it by default. In certain cases, particularly when creating a new cluster as a copy of an existing one, it is necessary to replace a built-in method with custom actions. Patroni supports executing user-defined scripts to bootstrap new clusters, supplying some required arguments to them, i.e. the name of the cluster and the path to the data directory. This is configured in the bootstrap section of the Patroni configuration. For example:

Each bootstrap method must define at least a name and a command. A special initide method is available to trigger the default behavior, in which case method parameter can be omitted altogether. The command can be specified using either an absolute path, or the one relative to the patroni command location. In addition to the fixed parameters defined in the configuration files, Patroni supplies two cluster-specific ones:

--scope Name of the cluster to be bootstrapped

--datadir Path to the data directory of the cluster instance to be bootstrapped

If the bootstrap script returns 0, Patroni tries to configure and start the PostgreSQL instance produced by it. If any of the intermediate steps fail, or the script returns a non-zero value, Patroni assumes that the bootstrap has failed, cleans up after itself and releases the initialize lock to give another node the opportunity to bootstrap.

If a recovery_conf block is defined in the same section as the custom bootstrap method, Patroni will generate a recovery.conf before starting the newly bootstrapped instance. Typically, such recovery.conf should contain at least one of the recovery_target_* parameters, together with the recovery_target_timeline set to promote.

If keep_existing_recovery_conf is defined and set to True, Patroni will not remove the existing recovery.conf file if it exists. This is useful when bootstrapping from a backup with tools like pgBackRest that generate the appropriate recovery.conf for you.

Note: Bootstrap methods are neither chained, nor fallen-back to the default one in case the primary one fails

6.2 Building replicas

Patroni uses tried and proven pg_basebackup in order to create new replicas. One downside of it is that it requires a running master node. Another one is the lack of 'on-the-fly' compression for the backup data and no built-in cleanup for outdated backup files. Some people prefer other backup solutions, such as WAL-E, pgBackRest, Barman and others, or simply roll their own scripts. In order to accommodate all those use-cases Patroni supports running custom scripts to clone a new replica. Those are configured in the postgresgl configuration block:

example: wal_e

```
postgresql:
    create_replica_methods:
        - wal_e
        - basebackup

wal_e:
        command: patroni_wale_restore
        no_master: 1
        envdir: {{WALE_ENV_DIR}}
        use_iam: 1
    basebackup:
        max-rate: '100M'
```

example: pgbackrest

```
postgresql:
    create_replica_methods:
        pgbackrest
        basebackup
    pgbackrest:
        command: /usr/bin/pgbackrest --stanza=<scope> --delta restore
        keep_data: True
        no_params: True
        basebackup:
        max-rate: '100M'
```

The create_replica_methods defines available replica creation methods and the order of executing them. Patroni will stop on the first one that returns 0. Each method should define a separate section in the configuration file, listing the command to execute and any custom parameters that should be passed to that command. All parameters will

be passed in a --name=value format. Besides user-defined parameters, Patroni supplies a couple of cluster-specific ones:

--scope Which cluster this replica belongs to--datadir Path to the data directory of the replica

--role Always 'replica'

--connstring Connection string to connect to the cluster member to clone from (master or other

replica). The user in the connection string can execute SQL and replication pro-

tocol commands.

A special no_master parameter, if defined, allows Patroni to call the replica creation method even if there is no running master or replicas. In that case, an empty string will be passed in a connection string. This is useful for restoring the formerly running cluster from the binary backup.

A special keep_data parameter, if defined, will instuct Patroni to not clean PGDATA folder before calling restore.

A special no_params parameter, if defined, restricts passing parameters to custom command.

A basebackup method is a special case: it will be used if create_replica_methods is empty, although it is possible to list it explicitly among the create_replica_methods methods. This method initializes a new replica with the pg_basebackup, the base backup is taken from the master unless there are replicas with clonefrom tag, in which case one of such replicas will be used as the origin for pg_basebackup. It works without any configuration; however, it is possible to specify a basebackup configuration section. Same rules as with the other method configuration apply, namely, only long (with –) options should be specified there. Not all parameters make sense, if you override a connection string or provide an option to created tar-ed or compressed base backups, patroni won't be able to make a replica out of it. There is no validation performed on the names or values of the parameters passed to the basebackup section. You can specify basebackup parameters as either a map (key-value pairs) or a list of elements, where each element could be either a key-value pair or a single key (for options that does not receive any values, for instance, --verbose). Consider those 2 examples:

```
postgresql:
    basebackup:
    max-rate: '100M'
    checkpoint: 'fast'
```

and

```
postgresql:
    basebackup:
        - verbose
        - max-rate: '100M'
```

If all replica creation methods fail, Patroni will try again all methods in order during the next event loop cycle.

6.3 Standby cluster

Another available option is to run a "standby cluster", that contains only of standby nodes replicating from some remote master. This type of clusters has:

- "standby leader", that behaves pretty much like a regular cluster leader, except it replicates from a remote master.
- cascade replicas, that are replicating from standby leader.

Standby leader holds and updates a leader lock in DCS. If the leader lock expires, cascade replicas will perform an election to choose another leader from the standbys.

For the sake of flexibility, you can specify methods of creating a replica and recovery WAL records when a cluster is in the "standby mode" by providing *create_replica_methods* key in *standby_cluster* section. It is distinct from creating replicas, when cluster is detached and functions as a normal cluster, which is controlled by *create_replica_methods* in *postgresql* section. Both "standby" and "normal" *create_replica_methods* reference keys in *postgresql* section.

To configure such cluster you need to specify the section standby_cluster in a patroni configuration:

```
bootstrap:
    dcs:
        standby_cluster:
        host: 1.2.3.4
        port: 5432
        primary_slot_name: patroni
        create_replica_methods:
        - basebackup
```

Note, that these options will be applied only once during cluster bootstrap, and the only way to change them afterwards is through DCS.

If you use replication slots on the standby cluster, you must also create the corresponding replication slot on the primary cluster. It will not be done automatically by the standby cluster implementation. You can use Patroni's permenant replication slots feature on the primary cluster to maintain a replication slot with the same name as primary_slot_name, or its default value if primary_slot_name is not provided.

CHAPTER

SEVEN

REPLICATION MODES

Patroni uses PostgreSQL streaming replication. For more information about streaming replication, see the Postgres documentation. By default Patroni configures PostgreSQL for asynchronous replication. Choosing your replication schema is dependent on your business considerations. Investigate both async and sync replication, as well as other HA solutions, to determine which solution is best for you.

7.1 Asynchronous mode durability

In asynchronous mode the cluster is allowed to lose some committed transactions to ensure availability. When the primary server fails or becomes unavailable for any other reason Patroni will automatically promote a sufficiently healthy standby to primary. Any transactions that have not been replicated to that standby remain in a "forked timeline" on the primary, and are effectively unrecoverable.

The amount of transactions that can be lost is controlled via maximum_lag_on_failover parameter. Because the primary transaction log position is not sampled in real time, in reality the amount of lost data on failover is worst case bounded by maximum_lag_on_failover bytes of transaction log plus the amount that is written in the last ttl seconds (loop_wait/2 seconds in the average case). However typical steady state replication delay is well under a second.

By default, when running leader elections, Patroni does not take into account the current timeline of replicas, what in some cases could be undesirable behavior. You can prevent the node not having the same timeline as a former master become the new leader by changing the value of check_timeline parameter to true.

7.2 PostgreSQL synchronous replication

You can use Postgres's synchronous replication with Patroni. Synchronous replication ensures consistency across a cluster by confirming that writes are written to a secondary before returning to the connecting client with a success. The cost of synchronous replication: reduced throughput on writes. This throughput will be entirely based on network performance.

In hosted datacenter environments (like AWS, Rackspace, or any network you do not control), synchronous replication significantly increases the variability of write performance. If followers become inaccessible from the leader, the leader effectively becomes read-only.

To enable a simple synchronous replication test, add the following lines to the parameters section of your YAML configuration files:

¹ The data is still there, but recovering it requires a manual recovery effort by data recovery specialists. When Patroni is allowed to rewind with use_pg_rewind the forked timeline will be automatically erased to rejoin the failed primary with the cluster.

```
synchronous_commit: "on"
synchronous_standby_names: "*"
```

When using PostgreSQL synchronous replication, use at least three Postgres data nodes to ensure write availability if one host fails.

Using PostgreSQL synchronous replication does not guarantee zero lost transactions under all circumstances. When the primary and the secondary that is currently acting as a synchronous replica fail simultaneously a third node that might not contain all transactions will be promoted.

7.3 Synchronous mode

For use cases where losing committed transactions is not permissible you can turn on Patroni's synchronous_mode. When synchronous_mode is turned on Patroni will not promote a standby unless it is certain that the standby contains all transactions that may have returned a successful commit status to client². This means that the system may be unavailable for writes even though some servers are available. System administrators can still use manual failover commands to promote a standby even if it results in transaction loss.

Turning on synchronous_mode does not guarantee multi node durability of commits under all circumstances. When no suitable standby is available, primary server will still accept writes, but does not guarantee their replication. When the primary fails in this mode no standby will be promoted. When the host that used to be the primary comes back it will get promoted automatically, unless system administrator performed a manual failover. This behavior makes synchronous mode usable with 2 node clusters.

When synchronous_mode is on and a standby crashes, commits will block until next iteration of Patroni runs and switches the primary to standalone mode (worst case delay for writes ttl seconds, average case loop_wait/2 seconds). Manually shutting down or restarting a standby will not cause a commit service interruption. Standby will signal the primary to release itself from synchronous standby duties before PostgreSQL shutdown is initiated.

When it is absolutely necessary to guarantee that each write is stored durably on at least two nodes, enable synchronous_mode_strict in addition to the synchronous_node. This parameter prevents Patroni from switching off the synchronous replication on the primary when no synchronous standby candidates are available. As a downside, the primary is not be available for writes (unless the Postgres transaction explicitly turns of synchronous_mode), blocking all client write requests until at least one synchronous replica comes up.

You can ensure that a standby never becomes the synchronous standby by setting nosync tag to true. This is recommended to set for standbys that are behind slow network connections and would cause performance degradation when becoming a synchronous standby.

Synchronous mode can be switched on and off via Patroni REST interface. See dynamic configuration for instructions.

7.4 Synchronous mode implementation

When in synchronous mode Patroni maintains synchronization state in the DCS, containing the latest primary and current synchronous standby. This state is updated with strict ordering constraints to ensure the following invariants:

- A node must be marked as the latest leader whenever it can accept write transactions. Patroni crashing or PostgreSQL not shutting down can cause violations of this invariant.
- A node must be set as the synchronous standby in PostgreSQL as long as it is published as the synchronous standby.

² Clients can change the behavior per transaction using PostgreSQL's synchronous_commit setting. Transactions with synchronous_commit values of off and local may be lost on fail over, but will not be blocked by replication delays.

• A node that is not the leader or current synchronous standby is not allowed to promote itself automatically.

Patroni will only ever assign one standby to synchronous_standby_names because with multiple candidates it is not possible to know which node was acting as synchronous during the failure.

On each HA loop iteration Patroni re-evaluates synchronous standby choice. If the current synchronous standby is connected and has not requested its synchronous status to be removed it remains picked. Otherwise the cluster member available for sync that is furthest ahead in replication is picked.

CHAPTER

EIGHT

PAUSE/RESUME MODE FOR THE CLUSTER

8.1 The goal

Under certain circumstances Patroni needs to temporary step down from managing the cluster, while still retaining the cluster state in DCS. Possible use cases are uncommon activities on the cluster, such as major version upgrades or corruption recovery. During those activities nodes are often started and stopped for the reason unknown to Patroni, some nodes can be even temporary promoted, violating the assumption of running only one master. Therefore, Patroni needs to be able to "detach" from the running cluster, implementing an equivalent of the maintenance mode in Pacemaker.

8.2 The implementation

When Patroni runs in a paused mode, it does not change the state of PostgreSQL, except for the following cases:

- For each node, the member key in DCS is updated with the current information about the cluster. This causes Patroni to run read-only queries on a member node if the member is running.
- For the Postgres master with the leader lock Patroni updates the lock. If the node with the leader lock stops being the master (i.e. is demoted manually), Patroni will release the lock instead of promoting the node back.
- Manual unscheduled restart, reinitialize and manual failover are allowed. Manual failover is only allowed if the node to failover to is specified. In the paused mode, manual failover does not require a running master node.
- If 'parallel' masters are detected by Patroni, it emits a warning, but does not demote the masters without the leader lock.
- If there is no leader lock in the cluster, the running master acquires the lock. If there is more than one master node, then the first master to acquire the lock wins. If there are no masters altogether, Patroni does not try to promote any replicas. There is an exception in this rule: if there is no leader lock because the old master has demoted itself due to the manual promotion, then only the candidate node mentioned in the promotion request may take the leader lock. When the new leader lock is granted (i.e. after promoting a replica manually), Patroni makes sure the replicas that were streaming from the previous leader will switch to the new one.
- When Postgres is stopped, Patroni does not try to start it. When Patroni is stopped, it does not try to stop the Postgres instance it is managing.

8.3 User guide

patronictl supports pause and resume commands.

One can also issue a PATCH request to the {namespace}/{cluster}/config key with {"pause": true/false/null}

CHAPTER

NINE

USING PATRONI WITH KUBERNETES

Patroni can use Kubernetes objects in order to store the state of the cluster and manage the leader key. That makes it capable of operating Postgres in Kubernetes environment without any consistency store, namely, one doesn't need to run an extra Etcd deployment. There are two different type of Kubernetes objects Patroni can use to store the leader and the configuration keys, they are configured with the *kubernetes.use_endpoints* or *PA-TRONI_KUBERNETES_USE_ENDPOINTS* environment variable.

9.1 Use Endpoints

Despite the fact that this is the recommended mode, it is turned off by default for compatibility reasons. When it is on, Patroni stores the cluster configuration and the leader key in the *metadata: annotations* fields of the respective *Endpoints* it creates. Changing the leader is safer than when using *ConfigMaps*, since both the annotations, containing the leader information, and the actual addresses pointing to the running leader pod are updated simultaneously in one go.

9.2 Use ConfigMaps

In this mode, Patroni will create ConfigMaps instead of Endpoints and store keys inside meta-data of those ConfigMaps. Changing the leader takes at least two updates, one to the leader ConfigMap and another to the respective Endpoint.

There are two ways to direct the traffic to the Postgres master:

- use the callback script provided by Patroni
- configure the Kubernetes Postgres service to use the label selector with the *role_label* (configured in patroni configuration).

Note that in some cases, for instance, when running on OpenShift, there is no alternative to using ConfigMaps.

9.3 Configuration

Patroni Kubernetes settings and environment variables are described in the general chapters of the documentation.

9.4 Examples

- The kubernetes folder of the Patroni repository contains examples of the Docker image, the Kubernetes manifest and the callback script in order to test Patroni Kubernetes setup. Note that in the current state it will not be able to use PersistentVolumes because of permission issues.
- You can find the full-featured Docker image that can use Persistent Volumes in the Spilo Project.
- There is also a Helm chart to deploy the Spilo image configured with Patroni running using Kubernetes.
- In order to run your database clusters at scale using Patroni and Spilo, take a look at the postgres-operator project. It implements the operator pattern to manage Spilo clusters.

CHAPTER

TEN

WATCHDOG SUPPORT

Having multiple PostgreSQL servers running as master can result in transactions lost due to diverging timelines. This situation is also called a split-brain problem. To avoid split-brain Patroni needs to ensure PostgreSQL will not accept any transaction commits after leader key expires in the DCS. Under normal circumstances Patroni will try to achieve this by stopping PostgreSQL when leader lock update fails for any reason. However, this may fail to happen due to various reasons:

- Patroni has crashed due to a bug, out-of-memory condition or by being accidentally killed by a system administrator.
- Shutting down PostgreSQL is too slow.
- Patroni does not get to run due to high load on the system, the VM being paused by the hypervisor, or other infrastructure issues.

To guarantee correct behavior under these conditions Patroni supports watchdog devices. Watchdog devices are software or hardware mechanisms that will reset the whole system when they do not get a keepalive heartbeat within a specified timeframe. This adds an additional layer of fail safe in case usual Patroni split-brain protection mechanisms fail

Patroni will try to activate the watchdog before promoting PostgreSQL to master. If watchdog activation fails and watchdog mode is required then the node will refuse to become master. When deciding to participate in leader election Patroni will also check that watchdog configuration will allow it to become leader at all. After demoting PostgreSQL (for example due to a manual failover) Patroni will disable the watchdog again. Watchdog will also be disabled while Patroni is in paused state.

By default Patroni will set up the watchdog to expire 5 seconds before TTL expires. With the default setup of loop_wait=10 and ttl=30 this gives HA loop at least 15 seconds (ttl-safety_margin-loop_wait) to complete before the system gets forcefully reset. By default accessing DCS is configured to time out after 10 seconds. This means that when DCS is unavailable, for example due to network issues, Patroni and PostgreSQL will have at least 5 seconds (ttl-safety_margin-loop_wait-retry_timeout) to come to a state where all client connections are terminated.

Safety margin is the amount of time that Patroni reserves for time between leader key update and watchdog keepalive. Patroni will try to send a keepalive immediately after confirmation of leader key update. If Patroni process is suspended for extended amount of time at exactly the right moment the keepalive may be delayed for more than the safety margin without triggering the watchdog. This results in a window of time where watchdog will not trigger before leader key expiration, invalidating the guarantee. To be absolutely sure that watchdog will trigger under all circumstances set up the watchdog to expire after half of TTL by setting safety_margin to -1 to set watchdog timeout to ttl // 2. If you need this guarantee you probably should increase ttl and/or reduce loop_wait and retry_timeout.

Currently watchdogs are only supported using Linux watchdog device interface.

10.1 Setting up software watchdog on Linux

Default Patroni configuration will try to use /dev/watchdog on Linux if it is accessible to Patroni. For most use cases using software watchdog built into the Linux kernel is secure enough.

To enable software watchdog issue the following commands as root before starting Patroni:

```
modprobe softdog
# Replace postgres with the user you will be running patroni under
chown postgres /dev/watchdog
```

For testing it may be helpful to disable rebooting by adding soft_noboot=1 to the modprobe command line. In this case the watchdog will just log a line in kernel ring buffer, visible via *dmesg*.

Patroni will log information about the watchdog when it is successfully enabled.

RELEASE NOTES

11.1 Version 1.5.6

New features

- Support work with etcd cluster via set of proxies (Alexander Kukushkin)
 - It might happen that etcd cluster is not accessible directly but via set of proxies. In this case Patroni will not perform etcd topology discovery but just round-robin via proxy hosts. Behavior is controlled by *etcd.use_proxies*.
- Changed callbacks behavior when role on the node is changed (Alexander)
 - If the role was changed from *master* or *standby_leader* to *replica* or from *replica* to *standby_leader*, *on_restart* callback will not be called anymore in favor of *on_role_change* callback.
- Change the way how we start postgres (Alexander)
 - Use *multiprocessing.Process* instead of executing itself and *multiprocessing.Pipe* to transmit the postmaster pid to the Patroni process. Before that we were using pipes, what was leaving postmaster process with stdin closed.

Bug fixes

- Fix role returned by REST API for the standby leader (Alexander)
 - It was incorrectly returning replica instead of standby_leader
- Wait for callback end if it could not be killed (Julien Tachoires)
 - Patroni doesn't have enough privileges to terminate the callback script running under *sudo* what was cancelling the new callback. If the running script could not be killed, Patroni will wait until it finishes and then run the next callback.
- Reduce lock time taken by dcs.get_cluster method (Alexander)
 - Due to the lock being held DCS slowness was affecting the REST API health checks causing false positives.
- Improve cleaning of PGDATA when pg_wal/pg_xlog is a symlink (Julien)
 - In this case Patroni will explicitly remove files from the target directory.
- Remove unnecessary usage of os.path.relpath (Ants Aasma)
 - It depends on being able to resolve the working directory, what will fail if Patroni is started in a directory that is later unlinked from the filesystem.
- Do not enforce ssl version when communicating with Etcd (Alexander)
 - For some unknown reason python3-etcd on debian and ubuntu are not based on the latest version of the package and therefore it enforces TLSv1 which is not supported by Etcd v3. We solved this problem on Patroni side.

11.2 Version 1.5.5

This version introduces the possibility of automatic reinit of the former master, improves patronical list output and fixes a number of bugs.

New features

• Add support of *PATRONI_ETCD_PROTOCOL*, *PATRONI_ETCD_USERNAME* and *PATRONI_ETCD_PASSWORD* environment variables (Étienne M)

Before it was possible to configure them only in the config file or as a part of *PATRONI_ETCD_URL*, which is not always convenient.

• Make it possible to automatically reinit the former master (Alexander Kukushkin)

If the pg_rewind is disabled or can't be used, the former master could fail to start as a new replica due to diverged timelines. In this case, the only way to fix it is wiping the data directory and reinitializing. This behavior could be changed by setting *postgresql.remove_data_directory_on_diverged_timelines*. When it is set, Patroni will wipe the data directory and reinitialize the former master automatically.

• Show information about timelines in patronictl list (Alexander)

It helps to detect stale replicas. In addition to that, *Host* will include ':{port}' if the port value isn't default or there is more than one member running on the same host.

Create a headless service associated with the \$SCOPE-config endpoint (Alexander)

The "config" endpoint keeps information about the cluster-wide Patroni and Postgres configuration, history file, and last but the most important, it holds the *initialize* key. When the Kubernetes master node is restarted or upgraded, it removes endpoints without services. The headless service will prevent it from being removed.

Bug fixes

• Adjust the read timeout for the leader watch blocking query (Alexander)

According to the Consul documentation, the actual response timeout is increased by a small random amount of additional wait time added to the supplied maximum wait time to spread out the wake up time of any concurrent requests. It adds up to wait / 16 additional time to the maximum duration. In our case we are adding wait / 15 or 1 second depending on what is bigger.

• Always use replication=1 when connecting via replication protocol to the postgres (Alexander)

Starting from Postgres 10 the line in the pg_hba.conf with database=replication doesn't accept connections with the parameter replication=database.

Don't write primary_conninfo into recovery.conf for wal-only standby cluster (Alexander)

Despite not having neither *host* nor *port* defined in the *standby_cluster* config, Patroni was putting the *primary conninfo* into the *recovery.conf*, which is useless and generating a lot of errors.

11.3 Version 1.5.4

This version implements flexible logging and fixes a number of bugs.

New features

• Improvements in logging infrastructure (Alexander Kukushkin, Lucas Capistrant, Alexander Anikin)

Logging configuration could be configured not only from environment variables but also from Patroni config file. It makes it possible to change logging configuration in runtime by updating config and doing reload or sending SIGHUP to the Patroni process. By default Patroni writes logs to stderr, but now it becomes possible

to write logs directly into the file and rotate when it reaches a certain size. In addition to that added support of custom dateformat and the possibility to fine-tune log level for each python module.

• Make it possible to take into account the current timeline during leader elections (Alexander Kukushkin)

It could happen that the node is considering itself as a healthiest one although it is currently not on the latest known timeline. In some cases we want to avoid promoting of such node, which could be achieved by setting *check_timeline* parameter to *true* (default behavior remains unchanged).

• Relaxed requirements on superuser credentials

Libpq allows opening connections without explicitly specifying neither username nor password. Depending on situation it relies either on pgpass file or trust authentication method in pg_hba.conf. Since pg_rewind is also using libpq, it will work the same way.

• Implemented possibility to configure Consul Service registration and check interval via environment variables (Alexander Kukushkin)

Registration of service in Consul was added in the 1.5.0, but so far it was only possible to turn it on via patroni.yaml.

Stability Improvements

• Set archive_mode to off during the custom bootstrap (Alexander Kukushkin)

We want to avoid archiving wals and history files until the cluster is fully functional. It really helps if the custom bootstrap involves pg_upgrade.

• Apply five seconds backoff when loading global config on start (Alexander Kukushkin)

It helps to avoid hammering DCS when Patroni just starting up.

• Reduce amount of error messages generated on shutdown (Alexander Kukushkin)

They were harmless but rather annoying and sometimes scary.

• Explicitly secure rw perms for recovery.conf at creation time (Lucas)

We don't want anybody except patroni/postgres user reading this file, because it contains replication user and password.

• Redirect HTTPServer exceptions to logger (Julien Riou)

By default, such exceptions were logged on standard output messing with regular logs.

Bug fixes

• Removed stderr pipe to stdout on pg_ctl process (Cody Coons)

Inheriting stderr from the main Patroni process allows all Postgres logs to be seen along with all patroni logs. This is very useful in a container environment as Patroni and Postgres logs may be consumed using standard tools (docker logs, kubectl, etc). In addition to that, this change fixes a bug with Patroni not being able to catch postmaster pid when postgres writing some warnings into stderr.

• Set Consul service check deregister timeout in Go time format (Pavel Kirillov)

Without explicitly mentioned time unit registration was failing.

• Relax checks of standby_cluster cluster configuration (Dmitry Dolgov, Alexander Kukushkin)

It was accepting only strings as valid values and therefore it was not possible to specify the port as integer and create_replica_methods as a list.

11.3. Version 1.5.4 43

11.4 Version 1.5.3

Compatibility and bugfix release.

- Improve stability when running with python3 against zookeeper (Alexander Kukushkin)
 Change of *loop wait* was causing Patroni to disconnect from zookeeper and never reconnect back.
- Fix broken compatibility with postgres 9.3 (Alexander)
 - When opening a replication connection we should specify replication=1, beacuse 9.3 does not understand replication='database'
- Make sure we refresh Consul session at least once per HA loop and improve handling of consul sessions exceptions (Alexander)

Restart of local consul agent invalidates all sessions related to the node. Not calling session refresh on time and not doing proper handling of session errors was causing demote of the primary.

11.5 Version 1.5.2

Compatibility and bugfix release.

- Compatibility with kazoo-2.6.0 (Alexander Kukushkin)
 - In order to make sure that requests are performed with an appropriate timeout, Patroni redefines create_connection method from python-kazoo module. The last release of kazoo slightly changed the way how create_connection method is called.
- Fix Patroni crash when Consul cluster loses the leader (Alexander)

The crash was happening due to incorrect implementation of touch_member method, it should return boolean and not raise any exceptions.

11.6 Version 1.5.1

This version implements support of permanent replication slots, adds support of pgBackRest and fixes number of bugs.

New features

- Permanent replication slots (Alexander Kukushkin)
 - Permanent replication slots are preserved on failover/switchover, that is, Patroni on the new primary will create configured replication slots right after doing promote. Slots could be configured with the help of *patronictl edit-config*. The initial configuration could be also done in the *bootstrap.dcs*.
- Add pgbackrest support (Yogesh Sharma)
 - pgBackrest can restore in existing \$PGDATA folder, this allows speedy restore as files which have not changed since last backup are skipped, to support this feature new parameter *keep_data* has been introduced. See *replica creation method* section for additional examples.

Bug fixes

• A few bugfixes in the "standby cluster" workflow (Alexander)

Please see https://github.com/zalando/patroni/pull/823 for more details.

• Fix REST API health check when cluster management is paused and DCS is not accessible (Alexander)

Regression was introduced in https://github.com/zalando/patroni/commit/90cf930036a9d5249265af15d2b787ec7517cf57

11.7 Version 1.5.0

This version enables Patroni HA cluster to operate in a standby mode, introduces experimental support for running on Windows, and provides a new configuration parameter to register PostgreSQL service in Consul.

New features

• Standby cluster (Dmitry Dolgov)

One or more Patroni nodes can form a standby cluster that runs alongside the primary one (i.e. in another datacenter) and consists of standby nodes that replicate from the master in the primary cluster. All PostgreSQL nodes in the standby cluster are replicas; one of those replicas elects itself to replicate directly from the remote master, while the others replicate from it in a cascading manner. More detailed description of this feature and some configuration examples can be found at *here*.

• Register Services in Consul (Pavel Kirillov, Alexander Kukushkin)

If register_service parameter in the consul configuration is enabled, the node will register a service with the name scope and the tag master, replica or standby-leader.

• Experimental Windows support (Pavel Golub)

From now on it is possible to run Patroni on Windows, although Windows support is brand-new and hasn't received as much real-world testing as its Linux counterpart. We welcome your feedback!

Improvements in patronictl

• Add patronictl -k/-insecure flag and support for restapi cert (Wilfried Roset)

In the past if the REST API was protected by the self-signed certificates *patronictl* would fail to verify them. There was no way to disable that verification. It is now possible to configure *patronictl* to skip the certificate verification altogether or provide CA and client certificates in the *ctl*: section of configuration.

• Exclude members with nofailover tag from patronictl switchover/failover output (Alexander Anikin)

Previously, those members were incorrectly proposed as candidates when performing interactive switchover or failover via patronictl.

Stability improvements

• Avoid parsing non-key-value output lines of pg_controldata (Alexander Anikin)

Under certain circuimstances pg_controldata outputs lines without a colon character. That would trigger an error in Patroni code that parsed pg_controldata output, hiding the actual problem; often such lines are emitted in a warning shown by pg_controldata before the regular output, i.e. when the binary major version does not match the one of the PostgreSQL data directory.

• Add member name to the error message during the leader election (Jan Mussler)

During the leader election, Patroni connects to all known members of the cluster and requests their status. Such status is written to the Patroni log and includes the name of the member. Previously, if the member was not accessible, the error message did not indicate its name, containing only the URL.

• Immediately reserve the WAL position upon creation of the replication slot (Alexander Kukushkin)

Starting from 9.6, pg_create_physical_replication_slot function provides an additional boolean parameter immediately_reserve. When it is set to false, which is also the default, the slot doesn't reserve the WAL position

11.7. Version 1.5.0 45

until it receives the first client connection, potentially losing some segments required by the client in a time window between the slot creation and the intiial client connection.

• Fix bug in strict synchronous replication (Alexander Kukushkin)

When running with *synchronous_mode_strict: true*, in some cases Patroni puts * into the *synchronous_standby_names*, changing the sync state for most of the replication connections to *potential*. Previously, Patroni couldn't pick a synchronous candidate under such curcuimstances, as it only considered those with the state *async*.

11.8 Version 1.4.6

Bug fixes and stability improvements

This release fixes a critical issue with Patroni API /master endpoint returning 200 for the non-master node. This is a reporting issue, no actual split-brain, but under certain circumstances clients might be directed to the read-only node.

- Reset is_leader status on demote (Alexander Kukushkin, Oleksii Kliukin)
 Make sure demoted cluster member stops responding with code 200 on the /master API call.
- Add new "cluster_unlocked" field to the API output (Dmitry Dolgov)

This field indicates whether the cluster has the master running. It can be used when it is not possible to query any other node but one of the replicas.

11.9 Version 1.4.5

New features

- Improve logging when applying new postgres configuration (Don Seiler)
 - Patroni logs changed parameter names and values.
- Python 3.7 compatibility (Christoph Berg)
 - async is a reserved keyword in python3.7
- Set state to "stopped" in the DCS when a member is shut down (Tony Sorrentino)
 - This shows the member state as "stopped" in "patronictl list" command.
- Improve the message logged when stale postmaster.pid matches a running process (Ants Aasma)
 - The previous one was beyond confusing.
- Implement patronictl reload functionality (Don Seiler)
 - Before that it was only possible to reload configuration by either calling REST API or by sending SIGHUP signal to the Patroni process.
- Take and apply some parameters from controldata when starting as a replica (Alexander Kukushkin)
 - The value of *max_connections* and some other parameters set in the global configuration may be lower than the one actually used by the primary; when this happens, the replica cannot start and should be fixed manually. Patroni takes care of that now by reading and applying the value from *pg_controldata*, starting postgres and setting *pending_restart* flag.

• If set, use LD_LIBRARY_PATH when starting postgres (Chris Fraser)

When starting up Postgres, Patroni was passing along PATH, LC_ALL and LANG env vars if they are set. Now it is doing the same with LD_LIBRARY_PATH. It should help if somebody installed PostgreSQL to non-standard place.

• Rename create_replica_method to create_replica_methods (Dmitry Dolgov)

To make it clear that it's actually an array. The old name is still supported for backward compatibility.

Bug fixes and stability improvements

• Fix condition for the replica start due to pg_rewind in paused state (Oleksii Kliukin)

Avoid starting the replica that had already executed pg_rewind before.

Respond 200 to the master health-check only if update_lock has been successful (Alexander)

Prevent Patroni from reporting itself a master on the former (demoted) master if DCS is partitioned.

• Fix compatibility with the new consul module (Alexander)

Starting from v1.1.0 python-consul changed internal API and started using *list* instead of *dict* to pass query parameters.

• Catch exceptions from Patroni REST API thread during shutdown (Alexander)

Those uncaught exceptions kept PostgreSQL running at shutdown.

• Do crash recovery only when Postgres runs as the master (Alexander)

Require *pg_controldata* to report 'in production' or 'shutting down' or 'in crash recovery'. In all other cases no crash recovery is necessary.

• Improve handling of configuration errors (Henning Jacobs, Alexander)

It is possible to change a lot of parameters in runtime (including *restapi.listen*) by updating Patroni config file and sending SIGHUP to Patroni process. This fix eliminates obscure exceptions from the 'restapi' thread when some of the parameters receive invalid values.

11.10 Version 1.4.4

Stability improvements

• Fix race condition in poll_failover_result (Alexander Kukushkin)

It didn't affect directly neither failover nor switchover, but in some rare cases it was reporting success too early, when the former leader released the lock, producing a 'Failed over to "None" instead of 'Failed over to "desired-node" message.

• Treat Postgres parameter names as case insensitive (Alexander)

Most of the Postgres parameters have snake_case names, but there are three exceptions from this rule: DateStyle, IntervalStyle and TimeZone. Postgres accepts those parameters when written in a different case (e.g. timezone = 'some/tzn'); however, Patroni was unable to find case-insensitive matches of those parameter names in pg_settings and ignored such parameters as a result.

• Abort start if attaching to running postgres and cluster not initialized (Alexander)

Patroni can attach itself to an already running Postgres instance. It is imperative to start running Patroni on the master node before getting to the replicas.

11.10. Version 1.4.4 47

• Fix behavior of patronictl scaffold (Alexander)

Pass dict object to touch_member instead of json encoded string, DCS implementation will take care of encoding it.

• Don't demote master if failed to update leader key in pause (Alexander)

During maintenance a DCS may start failing write requests while continuing to responds to read ones. In that case, Patroni used to put the Postgres master node to a read-only mode after failing to update the leader lock in DCS.

• Sync replication slots when Patroni notices a new postmaster process (Alexander)

If Postgres has been restarted, Patroni has to make sure that list of replication slots matches its expectations.

• Verify sysid and sync replication slots after coming out of pause (Alexander)

During the *maintenance* mode it may happen that data directory was completely rewritten and therefore we have to make sure that *Database system identifier* still belongs to our cluster and replication slots are in sync with Patroni expectations.

Fix a possible failure to start not running Postgres on a data directory with postmaster lock file present (Alexander)

Detect reuse of PID from the postmaster lock file. More likely to hit such problem if you run Patroni and Postgres in the docker container.

• Improve protection of DCS being accidentally wiped (Alexander)

Patroni has a lot of logic in place to prevent failover in such case; it can also restore all keys back; however, until this change an accidental removal of /config key was switching off pause mode for 1 cycle of HA loop.

• Do not exit when encountering invalid system ID (Oleksii Kliukin)

Do not exit when the cluster system ID is empty or the one that doesn't pass the validation check. In that case, the cluster most likely needs a reinit; mention it in the result message. Avoid terminating Patroni, as otherwise reinit cannot happen.

Compatibility with Kubernetes 1.10+

• Added check for empty subsets (Cody Coons)

Kubernetes 1.10.0+ started returning *Endpoints.subsets* set to *None* instead of [].

Bootstrap improvements

• Make deleting recovery.conf optional (Brad Nicholson)

If bootstrap.<custom_bootstrap_method_name>.keep_existing_recovery_conf is defined and set to True, Patroni will not remove the existing recovery.conf file. This is useful when bootstrapping from a backup with tools like pgBackRest that generate the appropriate recovery.conf for you.

• Allow options to the basebackup built-in method (Oleksii)

It is now possible to supply options to the built-in basebackup method by defining the *basebackup* section in the configuration, similar to how those are defined for custom replica creation methods. The difference is in the format accepted by the *basebackup* section: since pg_basebackup accepts both *-key=value* and *-key* options, the contents of the section could be either a dictionary of key-value pairs, or a list of either one-element dictionaries or just keys (for the options that don't accept values). See *replica creation method* section for additional examples.

11.11 Version 1.4.3

Improvements in logging

Make log level configurable from environment variables (Andy Newton, Keyvan Hedayati)

PATRONI_LOGLEVEL - sets the general logging level PATRONI_REQUESTS_LOGLEVEL - sets the logging level for all HTTP requests e.g. Kubernetes API calls See the docs for Python logging https://docs.python.org/3.6/library/logging.html#levels to get the names of possible log levels

Stability improvements and bug fixes

• Don't rediscover etcd cluster topology when watch timed out (Alexander Kukushkin)

If we have only one host in etcd configuration and exactly this host is not accessible, Patroni was starting discovery of cluster topology and never succeeding. Instead it should just switch to the next available node.

• Write content of bootstrap.pg_hba into a pg_hba.conf after custom bootstrap (Alexander)

Now it behaves similarly to the usual bootstrap with *initdb*

• Single user mode was waiting for user input and never finish (Alexander)

Regression was introduced in https://github.com/zalando/patroni/pull/576

11.12 Version 1.4.2

Improvements in patronictl

• Rename scheduled failover to scheduled switchover (Alexander Kukushkin)

Failover and switchover functions were separated in version 1.4, but *patronictl list* was still reporting *Scheduled failover* instead of *Scheduled switchover*.

• Show information about pending restarts (Alexander)

In order to apply some configuration changes sometimes it is necessary to restart postgres. Patroni was already giving a hint about that in the REST API and when writing node status into DCS, but there were no easy way to display it.

• Make show-config to work with cluster_name from config file (Alexander)

It works similar to the patronictl edit-config

Stability improvements

• Avoid calling pg_controldata during bootstrap (Alexander)

During initdb or custom bootstrap there is a time window when pgdata is not empty but pg_controldata has not been written yet. In such case pg_controldata call was failing with error messages.

• Handle exceptions raised from psutil (Alexander)

cmdline is read and parsed every time when *cmdline()* method is called. It could happen that the process being examined has already disappeared, in that case *NoSuchProcess* is raised.

Kubernetes support improvements

• Don't swallow errors from k8s API (Alexander)

A call to Kubernetes API could fail for a different number of reasons. In some cases such call should be retried, in some other cases we should log the error message and the exception stack trace. The change here will help debug Kubernetes permission issues.

11.11. Version 1.4.3 49

- Update Kubernetes example Dockerfile to install Patroni from the master branch (Maciej Szulik) Before that it was using *feature/k8s*, which became outdated.
- Add proper RBAC to run patroni on k8s (Maciej)

Add the Service account that is assigned to the pods of the cluster, the role that holds only the necessary permissions, and the rolebinding that connects the Service account and the Role.

11.13 Version 1.4.1

Fixes in patronictl

- Don't show current leader in suggested list of members to failover to. (Alexander Kukushkin) patronictl failover could still work when there is leader in the cluster and it should be excluded from the list of member where it is possible to failover to.
- Make patronictl switchover compatible with the old Patroni api (Alexander)
 In case if POST /switchover REST API call has failed with status code 501 it will do it once again, but to /failover endpoint.

11.14 Version 1.4

This version adds support for using Kubernetes as a DCS, allowing to run Patroni as a cloud-native agent in Kubernetes without any additional deployments of Etcd, Zookeeper or Consul.

Upgrade notice

Installing Patroni via pip will no longer bring in dependencies for (such as libraries for Etcd, Zookeper, Consul or Kubernetes, or support for AWS). In order to enable them one need to list them in pip install command explicitely, for instance pip install patroni[etcd,kubernetes].

Kubernetes support

Implement Kubernetes-based DCS. The endpoints meta-data is used in order to store the configuration and the leader key. The meta-data field inside the pods definition is used to store the member-related data. In addition to using Endpoints, Patroni supports ConfigMaps. You can find more information about this feature in the *Kubernetes chapter of the documentation*

Stability improvements

- Factor out postmaster process into a separate object (Ants Aasma)
 - This object identifies a running postmaster process via pid and start time and simplifies detection (and resolution) of situations when the postmaster was restarted behind our back or when postgres directory disappeared from the file system.
- Minimize the amount of SELECT's issued by Patroni on every loop of HA cylce (Alexander Kukushkin)
 - On every iteration of HA loop Patroni needs to know recovery status and absolute wal position. From now on Patroni will run only single SELECT to get this information instead of two on the replica and three on the master.
- Remove leader key on shutdown only when we have the lock (Ants)
 Unconditional removal was generating unnecessary and missleading exceptions.

Improvements in patronictl

• Add version command to patronictl (Ants)

It will show the version of installed Patroni and versions of running Patroni instances (if the cluster name is specified).

Make optional specifying cluster_name argument for some of patronictl commands (Alexander, Ants)

It will work if patronictl is using usual Patroni configuration file with the scope defined.

Show information about scheduled switchover and maintenance mode (Alexander)

Before that it was possible to get this information only from Patroni logs or directly from DCS.

• Improve patronictl reinit (Alexander)

Sometimes patronictl reinit refused to proceed when Patroni was busy with other actions, namely trying to start postgres. *patronictl* didn't provide any commands to cancel such long running actions and the only (dangerous) workarond was removing a data directory manually. The new implementation of *reinit* forcefully cancells other long-running actions before proceeding with reinit.

• Implement --wait flag in patronictl pause and patronictl resume (Alexander)

It will make patronictl wait until the requested action is acknowledged by all nodes in the cluster. Such behaviour is achieved by exposing the pause flag for every node in DCS and via the REST API.

• Rename patronictl failover into patronictl switchover (Alexander)

The previous failover was actually only capable of doing a switchover; it refused to proceed in a cluster without the leader.

• Alter the behavior of patronictl failover (Alexander)

It will work even if there is no leader, but in that case you will have to explicitely specify a node which should become the new leader.

Expose information about timeline and history

• Expose current timeline in DCS and via API (Alexander)

Store information about the current timeline for each member of the cluster. This information is accessible via the API and is stored in the DCS

• Store promotion history in the /history key in DCS (Alexander)

In addition, store the timeline history enriched with the timestamp of the corresponding promotion in the /history key in DCS and update it with each promote.

Add endpoints for getting synchronous and asynchronous replicas

• Add new /sync and /async endpoints (Alexander, Oleksii Kliukin)

Those endpoints (also accessible as /synchronous and /asynchronous) return 200 only for synchronous and asynchronous replicas correspondingly (exclusing those marked as *noloadbalance*).

Allow multiple hosts for Etcd

• Add a new *hosts* parameter to Etcd configuration (Alexander)

This parameter should contain the initial list of hosts that will be used to discover and populate the list of the running etcd cluster members. If for some reason during work this list of discovered hosts is exhausted (no available hosts from that list), Patroni will return to the initial list from the *hosts* parameter.

11.14. Version 1.4 51

11.15 Version 1.3.6

Stability improvements

• Verify process start time when checking if postgres is running. (Ants Aasma)

After a crash that doesn't clean up postmaster.pid there could be a new process with the same pid, resulting in a false positive for is_running(), which will lead to all kinds of bad behavior.

• Shutdown postgresql before bootstrap when we lost data directory (ainlolcat)

When data directory on the master is forcefully removed, postgres process can still stay alive for some time and prevent the replica created in place of that former master from starting or replicating. The fix makes Patroni cache the postmaster pid and its start time and let it terminate the old postmaster in case it is still running after the corresponding data directory has been removed.

Perform crash recovery in a single user mode if postgres master dies (Alexander Kukushkin)

It is unsafe to start immediately as a standby and not possible to run pg_rewind if postgres hasn't been shut down cleanly. The single user crash recovery only kicks in if pg_rewind is enabled or there is no master at the moment.

Consul improvements

- Make it possible to provide datacenter configuration for Consul (Vilius Okockis, Alexander)
 - Before that Patroni was always communicating with datacenter of the host it runs on.
- Always send a token in X-Consul-Token http header (Alexander)

If consul.token is defined in Patroni configuration, we will always send it in the 'X-Consul-Token' http header. python-consul module tries to be "consistent" with Consul REST API, which doesn't accept token as a query parameter for session API, but it still works with 'X-Consul-Token' header.

• Adjust session TTL if supplied value is smaller than the minimum possible (Stas Fomin, Alexander)

It could happen that the TTL provided in the Patroni configuration is smaller than the minimum one supported by Consul. In that case, Consul agent fails to create a new session. Without a session Patroni cannot create member and leader keys in the Consul KV store, resulting in an unhealthy cluster.

Other improvements

• Define custom log format via environment variable PATRONI_LOGFORMAT (Stas)

Allow disabling timestamps and other similar fields in Patroni logs if they are already added by the system logger (usually when Patroni runs as a service).

11.16 Version 1.3.5

Bugfix

• Set role to 'uninitialized' if data directory was removed (Alexander Kukushkin)

If the node was running as a master it was preventing from failover.

Stability improvement

• Try to run postmaster in a single-user mode if we tried and failed to start postgres (Alexander)

Usually such problem happens when node running as a master was terminated and timelines were diverged. If recovery.conf has restore_command defined, there are really high chances that postgres will abort

startup and leave controldata unchanged. It makes impossible to use pg_rewind, which requires a clean shutdown.

Consul improvements

• Make it possible to specify health checks when creating session (Alexander)

If not specified, Consul will use "serfHealth". From one side it allows fast detection of isolated master, but from another side it makes it impossible for Patroni to tolerate short network lags.

Bugfix

• Fix watchdog on Python 3 (Ants Aasma)

A misunderstanding of the ioctl() call interface. If mutable=False then fcntl.ioctl() actually returns the arg buffer back. This accidentally worked on Python2 because int and str comparison did not return an error. Error reporting is actually done by raising IOError on Python2 and OSError on Python3.

11.17 Version 1.3.4

Different Consul improvements

- Pass the consul token as a header (Andrew Colin Kissa)
 Headers are now the prefered way to pass the token to the consul API.
- Advanced configuration for Consul (Alexander Kukushkin)
 possibility to specify scheme, token, client and ca certificates details.
- compatibility with python-consul-0.7.1 and above (Alexander) new python-consul module has changed signature of some methods
- "Could not take out TTL lock" message was never logged (Alexander)
 Not a critical bug, but lack of proper logging complicates investigation in case of problems.

Quote synchronous_standby_names using quote_ident

• When writing synchronous_standby_names into the postgresql.conf its value must be quoted (Alexander)

If it is not quoted properly, PostgreSQL will effectively disable synchronous replication and continue to work.

Different bugfixes around pause state, mostly related to watchdog (Alexander)

- Do not send keepalives if watchdog is not active
- · Avoid activating watchdog in a pause mode
- Set correct postgres state in pause mode
- Do not try to run queries from API if postgres is stopped

11.18 Version 1.3.3

Bugfixes

- synchronous replication was disabled shortly after promotion even when synchronous_mode_strict was turned on (Alexander Kukushkin)
- create empty pg_ident.conf file if it is missing after restoring from the backup (Alexander)

11.17. Version 1.3.4 53

• open access in pq hba.conf to all databases, not only postgres (Franco Bellagamba)

11.19 Version 1.3.2

Bugfix

• patronictl edit-config didn't work with ZooKeeper (Alexander Kukushkin)

11.20 Version 1.3.1

Bugfix

• failover via API was broken due to change in _MemberStatus (Alexander Kukushkin)

11.21 Version 1.3

Version 1.3 adds custom bootstrap possibility, significantly improves support for pg_rewind, enhances the synchronous mode support, adds configuration editing to patronictl and implements watchdog support on Linux. In addition, this is the first version to work correctly with PostgreSQL 10.

Upgrade notice

There are no known compatibility issues with the new version of Patroni. Configuration from version 1.2 should work without any changes. It is possible to upgrade by installing new packages and either restarting Patroni (will cause PostgreSQL restart), or by putting Patroni into a *pause mode* first and then restarting Patroni on all nodes in the cluster (Patroni in a pause mode will not attempt to stop/start PostgreSQL), resuming from the pause mode at the end.

Custom bootstrap

• Make the process of bootstrapping the cluster configurable (Alexander Kukushkin)

Allow custom bootstrap scripts instead of initdb when initializing the very first node in the cluster. The bootstrap command receives the name of the cluster and the path to the data directory. The resulting cluster can be configured to perform recovery, making it possible to bootstrap from a backup and do point in time recovery. Refer to the *documentaton page* for more detailed description of this feature.

Smarter pg_rewind support

• Decide on whether to run pg_rewind by looking at the timeline differences from the current master (Alexander)

Previously, Patroni had a fixed set of conditions to trigger pg_rewind, namely when starting a former master, when doing a switchover to the designated node for every other node in the cluster or when there is a replica with the nofailover tag. All those cases have in common a chance that some replica may be ahead of the new master. In some cases, pg_rewind did nothing, in some other ones it was not running when necessary. Instead of relying on this limited list of rules make Patroni compare the master and the replica WAL positions (using the streaming replication protocol) in order to reliably decide if rewind is necessary for the replica.

Synchronous replication mode strict

• Enhance synchronous replication support by adding the strict mode (James Sewell, Alexander)

Normally, when synchronous_mode is enabled and there are no replicas attached to the master, Patroni will disable synchronous replication in order to keep the master available for writes. The synchronous_mode_strict option changes that, when it is set Patroni will not disable the synchronous replication in a lack of replicas, effectively blocking all clients writing data to the master. In addition to the

synchronous mode guarantee of preventing any data loss due to automatic failover, the strict mode ensures that each write is either durably stored on two nodes or not happening altogether if there is only one node in the cluster.

Configuration editing with patronictl

• Add configuration editing to patronictl (Ants Aasma, Alexander)

Add the ability to patronictl of editing dynamic cluster configuration stored in DCS. Support either specifying the parameter/values from the command-line, invoking the \$EDITOR, or applying configuration from the yaml file.

Linux watchdog support

• Implement watchdog support for Linux (Ants)

Support Linux software watchdog in order to reboot the node where Patroni is not running or not responding (e.g because of the high load) The Linux software watchdog reboots the non-responsive node. It is possible to configure the watchdog device to use (/dev/watchdog by default) and the mode (on, automatic, off) from the watchdog section of the Patroni configuration. You can get more information from the watchdog documentation.

Add support for PostgreSQL 10

• Patroni is compatible with all beta versions of PostgreSQL 10 released so far and we expect it to be compatible with the PostgreSQL 10 when it will be released.

PostgreSQL-related minor improvements

• Define pg_hba.conf via the Patroni configuration file or the dynamic configuration in DCS (Alexander)

Allow to define the contents of pg_hba.conf in the pg_hba sub-section of the postgresql section of the configuration. This simplifies managing pg_hba.conf on multiple nodes, as one needs to define it only ones in DCS instead of logging to every node, changing it manually and reload the configuration.

When defined, the contents of this section will replace the current pg_hba.conf completely. Patroni ignores it if hba_file PostgreSQL parameter is set.

• Support connecting via a UNIX socket to the local PostgreSQL cluster (Alexander)

Add the use_unix_socket option to the postgresql section of Patroni configuration. When set to true and the PostgreSQL unix_socket_directories option is not empty, enables Patroni to use the first value from it to connect to the local PostgreSQL cluster. If unix_socket_directories is not defined, Patroni will assume its default value and omit the host parameter in the PostgreSQL connection string altogether.

- Support change of superuser and replication credentials on reload (Alexander)
- Support storing of configuration files outside of PostgreSQL data directory (@jouir)

Add the new configuration postgresql configuration directive config_dir. It defaults to the data directory and must be writable by Patroni.

Bug fixes and stability improvements

• Handle EtcdEventIndexCleared and EtcdWatcherCleared exceptions (Alexander)

Faster recovery when the watch operation is ended by Etcd by avoiding useless retries.

• Remove error spinning on Etcd failure and reduce log spam (Ants)

Avoid immediate retrying and emitting stack traces in the log on the second and subsequent Etcd connection failures.

• Export locale variables when forking PostgreSQL processes (Oleksii Kliukin)

Avoid the *postmaster became multithreaded during startup* fatal error on non-English locales for PostgreSQL built with NLS.

11.21. Version 1.3 55

- Extra checks when dropping the replication slot (Alexander)
 In some cases Patroni is prevented from dropping the replication slot by the WAL sender.
- Truncate the replication slot name to 63 (NAMEDATALEN 1) characters to comply with PostgreSQL naming rules (Nick Scott)
- Fix a race condition resulting in extra connections being opened to the PostgreSQL cluster from Patroni (Alexander)
- Release the leader key when the node restarts with an empty data directory (Alex Kerney)
- Set asynchronous executor busy when running bootstrap without a leader (Alexander)

Failure to do so could have resulted in errors stating the node belonged to a different cluster, as Patroni proceeded with the normal business while being bootstrapped by a bootstrap method that doesn't require a leader to be present in the cluster.

- Improve WAL-E replica creation method (Joar Wandborg, Alexander).
 - Use csv.DictReader when parsing WAL-E base backup, accepting ISO dates with space-delimited date and time.
 - Support fetching current WAL position from the replica to estimate the amount of WAL to restore. Previously, the code used to call system information functions that were available only on the master node.

11.22 Version 1.2

This version introduces significant improvements over the handling of synchronous replication, makes the startup process and failover more reliable, adds PostgreSQL 9.6 support and fixes plenty of bugs. In addition, the documentation, including these release notes, has been moved to https://patroni.readthedocs.io.

Synchronous replication

• Add synchronous replication support. (Ants Aasma)

Adds a new configuration variable synchronous_mode. When enabled, Patroni will manage synchronous_standby_names to enable synchronous replication whenever there are healthy standbys available. When synchronous mode is enabled, Patroni will automatically fail over only to a standby that was synchronously replicating at the time of the master failure. This effectively means that no user visible transaction gets lost in such a case. See the *feature documentation* for the detailed description and implementation details.

Reliability improvements

- Do not try to update the leader position stored in the leader optime key when PostgreSQL is not 100% healthy. Demote immediately when the update of the leader key failed. (Alexander Kukushkin)
- Exclude unhealthy nodes from the list of targets to clone the new replica from. (Alexander)
- Implement retry and timeout strategy for Consul similar to how it is done for Etcd. (Alexander)
- Make --dcs and --config-file apply to all options in patronictl. (Alexander)
- Write all postgres parameters into postgresql.conf. (Alexander)
 - It allows starting PostgreSQL configured by Patroni with just pg_ctl.
- Avoid exceptions when there are no users in the config. (Kirill Pushkin)
- Allow pausing an unhealthy cluster. Before this fix, patronictl would bail out if the node it tries to execute pause on is unhealthy. (Alexander)

• Improve the leader watch functionality. (Alexander)

Previously the replicas were always watching the leader key (sleeping until the timeout or the leader key changes). With this change, they only watch when the replica's PostgreSQL is in the running state and not when it is stopped/starting or restarting PostgreSQL.

• Avoid running into race conditions when handling SIGCHILD as a PID 1. (Alexander)

Previously a race condition could occur when running inside the Docker containers, since the same process inside Patroni both spawned new processes and handled SIGCHILD from them. This change uses fork/execs for Patroni and leaves the original PID 1 process responsible for handling signals from children.

• Fix WAL-E restore. (Oleksii Kliukin)

Previously WAL-E restore used the no_master flag to avoid consulting with the master altogether, making Patroni always choose restoring from WAL over the pg_basebackup. This change reverts it to the original meaning of no_master, namely Patroni WAL-E restore may be selected as a replication method if the master is not running. The latter is checked by examining the connection string passed to the method. In addition, it makes the retry mechanism more robust and handles other minutia.

• Implement asynchronous DNS resolver cache. (Alexander)

Avoid failing when DNS is temporary unavailable (for instance, due to an excessive traffic received by the node).

• Implement starting state and master start timeout. (Ants, Alexander)

Previously pg_ctl waited for a timeout and then happily trodded on considering PostgreSQL to be running. This caused PostgreSQL to show up in listings as running when it was actually not and caused a race condition that resulted in either a failover, or a crash recovery, or a crash recovery interrupted by failover and a missed rewind. This change adds a master_start_timeout parameter and introduces a new state for the main HA loop: starting. When master_start_timeout is 0 we will failover immediately when the master crashes as soon as there is a failover candidate. Otherwise, Patroni will wait after attempting to start PostgreSQL on the master for the duration of the timeout; when it expires, it will failover if possible. Manual failover requests will be honored during the crash of the master even before the timeout expiration.

Introduce the timeout parameter to the restart API endpoint and patronictl. When it is set and restart takes longer than the timeout, PostgreSQL is considered unhealthy and the other nodes becomes eligible to take the leader lock.

• Fix pg_rewind behavior in a pause mode. (Ants)

Avoid unnecessary restart in a pause mode when Patroni thinks it needs to rewind but rewind is not possible (i.e. pg_rewind is not present). Fallback to default libpq values for the superuser (default OS user) if superuser authentication is missing from the pg_rewind related Patroni configuration section.

- Serialize callback execution. Kill the previous callback of the same type when the new one is about to run. Fix the issue of spawning zombie processes when running callbacks. (Alexander)
- Avoid promoting a former master when the leader key is set in DCS but update to this leader key fails. (Alexander)

This avoids the issue of a current master continuing to keep its role when it is partitioned together with the minority of nodes in Etcd and other DCSs that allow "inconsistent reads".

Miscellaneous

• Add post_init configuration option on bootstrap. (Alejandro Martínez)

Patroni will call the script argument of this option right after running initdb and starting up PostgreSQL for a new cluster. The script receives a connection URL with superuser and sets PGPASSFILE to point to the .pgpass file containing the password. If the script fails, Patroni initialization fails as well. It is useful for adding new users or creating extensions in the new cluster.

11.22. Version 1.2 57

• Implement PostgreSQL 9.6 support. (Alexander)

Use wal_level = replica as a synonym for hot_standby, avoiding pending_restart flag when it changes from one to another. (Alexander)

Documentation improvements

- Add a Patroni main loop workflow diagram. (Alejandro, Alexander)
- Improve README, adding the Helm chart and links to release notes. (Lauri Apple)
- Move Patroni documentation to Read the Docs. The up-to-date documentation is available at https://patroni.readthedocs.io. (Oleksii)

Makes the documentation easily viewable from different devices (including smartphones) and searchable.

• Move the package to the semantic versioning. (Oleksii)

Patroni will follow the major.minor.patch version schema to avoid releasing the new minor version on small but critical bugfixes. We will only publish the release notes for the minor version, which will include all patches.

11.23 Version 1.1

This release improves management of Patroni cluster by bring in pause mode, improves maintenance with scheduled and conditional restarts, makes Patroni interaction with Etcd or Zookeeper more resilient and greatly enhances patronictl.

Upgrade notice

When upgrading from releases below 1.0 read about changing of credentials and configuration format at 1.0 release notes.

Pause mode

• Introduce pause mode to temporary detach Patroni from managing PostgreSQL instance (Murat Kabilov, Alexander Kukushkin, Oleksii Kliukin).

Previously, one had to send SIGKILL signal to Patroni to stop it without terminating PostgreSQL. The new pause mode detaches Patroni from PostgreSQL cluster-wide without terminating Patroni. It is similar to the maintenance mode in Pacemaker. Patroni is still responsible for updating member and leader keys in DCS, but it will not start, stop or restart PostgreSQL server in the process. There are a few exceptions, for instance, manual failovers, reinitializes and restarts are still allowed. You can read *a detailed description of this feature*.

In addition, patronictl supports new pause and resume commands to toggle the pause mode.

Scheduled and conditional restarts

• Add conditions to the restart API command (Oleksii)

This change enhances Patroni restarts by adding a couple of conditions that can be verified in order to do the restart. Among the conditions are restarting when PostgreSQL role is either a master or a replica, checking the PostgreSQL version number or restarting only when restart is necessary in order to apply configuration changes.

• Add scheduled restarts (Oleksii)

It is now possible to schedule a restart in the future. Only one scheduled restart per node is supported. It is possible to clear the scheduled restart if it is not needed anymore. A combination of scheduled and conditional restarts is supported, making it possible, for instance, to scheduled minor PostgreSQL upgrades in the night, restarting only the instances that are running the outdated minor version without adding postgres-specific logic to administration scripts.

Add support for conditional and scheduled restarts to patronictl (Murat).
 patronictl restart supports several new options. There is also patronictl flush command to clean the scheduled actions.

Robust DCS interaction

• Set Kazoo timeouts depending on the loop_wait (Alexander)

Originally, ping_timeout and connect_timeout values were calculated from the negotiated session timeout. Patroni loop_wait was not taken into account. As a result, a single retry could take more time than the session timeout, forcing Patroni to release the lock and demote.

This change set ping and connect timeout to half of the value of loop_wait, speeding up detection of connection issues and leaving enough time to retry the connection attempt before loosing the lock.

• Update Etcd topology only after original request succeed (Alexander)

Postpone updating the Etcd topology known to the client until after the original request. When retrieving the cluster topology, implement the retry timeouts depending on the known number of nodes in the Etcd cluster. This makes our client prefer to get the results of the request to having the up-to-date list of nodes.

Both changes make Patroni connections to DCS more robust in the face of network issues.

Patronictl, monitoring and configuration

• Return information about streaming replicas via the API (Feike Steenbergen)

Previously, there was no reliable way to query Patroni about PostgreSQL instances that fail to stream changes (for instance, due to connection issues). This change exposes the contents of pg_stat_replication via the /patroni endpoint.

• Add patronictl scaffold command (Oleksii)

Add a command to create cluster structure in Etcd. The cluster is created with user-specified sysid and leader, and both leader and member keys are made persistent. This command is useful to create so-called master-less configurations, where Patroni cluster consisting of only replicas replicate from the external master node that is unaware of Patroni. Subsequently, one may remove the leader key, promoting one of the Patroni nodes and replacing the original master with the Patroni-based HA cluster.

• Add configuration option bin_dir to locate PostgreSQL binaries (Ants Aasma)

It is useful to be able to specify the location of PostgreSQL binaries explicitly when Linux distros that support installing multiple PostgreSQL versions at the same time.

Allow configuration file path to be overridden using custom_conf of (Alejandro Martínez)

Allows for custom configuration file paths, which will be unmanaged by Patroni, details.

Bug fixes and code improvements

• Make Patroni compatible with new version schema in PostgreSQL 10 and above (Feike)

Make sure that Patroni understand 2-digits version numbers when doing conditional restarts based on the PostgreSQL version.

• Use pkgutil to find DCS modules (Alexander)

Use the dedicated python module instead of traversing directories manually in order to find DCS modules.

• Always call on start callback when starting Patroni (Alexander)

Previously, Patroni did not call any callbacks when attaching to the already running node with the correct role. Since callbacks are often used to route client connections that could result in the failure to register the running node in the connection routing scheme. With this fix, Patroni calls on_start callback even when attaching to the already running node.

11.23. Version 1.1 59

• Do not drop active replication slots (Murat, Oleksii)

Avoid dropping active physical replication slots on master. PostgreSQL cannot drop such slots anyway. This change makes possible to run non-Patroni managed replicas/consumers on the master.

• Close Patroni connections during start of the PostgreSQL instance (Alexander)

Forces Patroni to close all former connections when PostgreSQL node is started. Avoids the trap of reusing former connections if postmaster was killed with SIGKILL.

• Replace invalid characters when constructing slot names from member names (Ants)

Make sure that standby names that do not comply with the slot naming rules don't cause the slot creation and standby startup to fail. Replace the dashes in the slot names with underscores and all other characters not allowed in slot names with their unicode codepoints.

11.24 Version 1.0

This release introduces the global dynamic configuration that allows dynamic changes of the PostgreSQL and Patroni configuration parameters for the entire HA cluster. It also delivers numerous bugfixes.

Upgrade notice

When upgrading from v0.90 or below, always upgrade all replicas before the master. Since we don't store replication credentials in DCS anymore, an old replica won't be able to connect to the new master.

Dynamic Configuration

• Implement the dynamic global configuration (Alexander Kukushkin)

Introduce new REST API endpoint /config to provide PostgreSQL and Patroni configuration parameters that should be set globally for the entire HA cluster (master and all the replicas). Those parameters are set in DCS and in many cases can be applied without disrupting PostgreSQL or Patroni. Patroni sets a special flag called "pending restart" visible via the API when some of the values require the PostgreSQL restart. In that case, restart should be issued manually via the API.

Patroni SIGHUP or POST to /reload will make it re-read the configuration file.

See the *dynamic configuration* for the details on which parameters can be changed and the order of processing difference configuration sources.

The configuration file format *has changed* since the v0.90. Patroni is still compatible with the old configuration files, but in order to take advantage of the bootstrap parameters one needs to change it. Users are encourage to update them by referring to the *dynamic configuration documentation page*.

More flexible configuration*

• Make postgresql configuration and database name Patroni connects to configurable (Misja Hoebe)

Introduce *database* and *config_base_name* configuration parameters. Among others, it makes possible to run Patroni with PipelineDB and other PostgreSQL forks.

• Implement possibility to configure some Patroni configuration parameters via environment (Alexander)

Those include the scope, the node name and the namespace, as well as the secrets and makes it easier to run Patroni in a dynamic environment, i.e. Kubernetes Please, refer to the *supported environment variables* for further details.

- Update the built-in Patroni docker container to take advantage of environment-based configuration (Feike Steenbergen).
- Add Zookeeper support to Patroni docker image (Alexander)

- Split the Zookeeper and Exhibitor configuration options (Alexander)
- Make patronictl reuse the code from Patroni to read configuration (Alexander)

This allows patronictl to take advantage of environment-based configuration.

• Set application name to node name in primary_conninfo (Alexander)

This simplifies identification and configuration of synchronous replication for a given node.

Stability, security and usability improvements

• Reset sysid and do not call pg_controldata when restore of backup in progress (Alexander)

This change reduces the amount of noise generated by Patroni API health checks during the lengthy initialization of this node from the backup.

• Fix a bunch of pg_rewind corner-cases (Alexander)

Avoid running pg_rewind if the source cluster is not the master.

In addition, avoid removing the data directory on an unsuccessful rewind, unless the new parameter *remove_data_directory_on_rewind_failure* is set to true. By default it is false.

• Remove passwords from the replication connection string in DCS (Alexander)

Previously, Patroni always used the replication credentials from the Postgres URL in DCS. That is now changed to take the credentials from the patroni configuration. The secrets (replication username and password) and no longer exposed in DCS.

• Fix the asynchronous machinery around the demote call (Alexander)

Demote now runs totally asynchronously without blocking the DCS interactions.

• Make patronictl always send the authorization header if it is configured (Alexander)

This allows patronictl to issue "protected" requests, i.e. restart or reinitialize, when Patroni is configured to require authorization on those.

• Handle the SystemExit exception correctly (Alexander)

Avoids the issues of Patroni not stopping properly when receiving the SIGTERM

• Sample haproxy templates for confd (Alexander)

Generates and dynamically changes haproxy configuration from the patroni state in the DCS using confide

- Improve and restructure the documentation to make it more friendly to the new users (Lauri Apple)
- API must report role=master during pg_ctl stop (Alexander)

Makes the callback calls more reliable, particularly in the cluster stop case. In addition, introduce the pg ctl timeout option to set the timeout for the start, stop and restart calls via the pg ctl.

• Fix the retry logic in etcd (Alexander)

Make retries more predictable and robust.

• Make Zookeeper code more resilient against short network hiccups (Alexander)

Reduce the connection timeouts to make Zookeeper connection attempts more frequent.

11.25 Version 0.90

This releases adds support for Consul, includes a new *noloadbalance* tag, changes the behavior of the *clonefrom* tag, improves *pg_rewind* handling and improves *patronictl* control program.

11.25. Version 0.90 61

Consul support

• Implement Consul support (Alexander Kukushkin)

Patroni runs against Consul, in addition to Etcd and Zookeeper. the connection parameters can be configured in the YAML file.

New and improved tags

• Implement *noloadbalance* tag (Alexander)

This tag makes Patroni always return that the replica is not available to the load balancer.

• Change the implementation of the *clonefrom* tag (Alexander)

Previously, a node name had to be supplied to the *clonefrom*, forcing a tagged replica to clone from the specific node. The new implementation makes *clonefrom* a boolean tag: if it is set to true, the replica becomes a candidate for other replicas to clone from it. When multiple candidates are present, the replicas picks one randomly.

Stability and security improvements

• Numerous reliability improvements (Alexander)

Removes some spurious error messages, improves the stability of the failover, addresses some corner cases with reading data from DCS, shutdown, demote and reattaching of the former leader.

• Improve systems script to avoid killing Patroni children on stop (Jan Keirse, Alexander Kukushkin)

Previously, when stopping Patroni, *systemd* also sent a signal to PostgreSQL. Since Patroni also tried to stop PostgreSQL by itself, it resulted in sending to different shutdown requests (the smart shutdown, followed by the fast shutdown). That resulted in replicas disconnecting too early and a former master not being able to rejoin after demote. Fix by Jan with prior research by Alexander.

• Eliminate some cases where the former master was unable to call pg_rewind before rejoining as a replica (Oleksii Kliukin)

Previously, we only called *pg_rewind* if the former master had crashed. Change this to always run pg_rewind for the former master as long as pg_rewind is present in the system. This fixes the case when the master is shut down before the replicas managed to get the latest changes (i.e. during the "smart" shutdown).

- Numerous improvements to unit- and acceptance- tests, in particular, enable support for Zookeeper and Consul (Alexander).
- Make Travis CI faster and implement support for running tests against Zookeeper (Exhibitor) and Consul (Alexander)

Both unit and acceptance tests run automatically against Etcd, Zookeeper and Consul on each commit or pull-request.

• Clear environment variables before calling PostgreSQL commands from Patroni (Feike Steenbergen)

This prevents a possibility of reading system environment variables by connecting to the PostgreSQL cluster managed by Patroni.

Configuration and control changes

• Unify patronictl and Patroni configuration (Feike)

patronictl can use the same configuration file as Patroni itself.

• Enable Patroni to read the configuration from the environment variables (Oleksii)

This simplifies generating configuration for Patroni automatically, or merging a single configuration from different sources.

• Include database system identifier in the information returned by the API (Feike)

Implement delete_cluster for all available DCSs (Alexander)
 Enables support for DCSs other than Etcd in patronictl.

11.26 Version 0.80

This release adds support for *cascading replication* and simplifies Patroni management by providing *scheduled failovers*. One may use older versions of Patroni (in particular, 0.78) combined with this one in order to migrate to the new release. Note that the scheduled failover and cascading replication related features will only work with Patroni 0.80 and above.

Cascading replication

• Add support for the *replicatefrom* and *clonefrom* tags for the patroni node (Oleksii Kliukin).

The tag *replicatefrom* allows a replica to use an arbitrary node a source, not necessary the master. The *clonefrom* does the same for the initial backup. Together, they enable Patroni to fully support cascading replication.

• Add support for running replication methods to initialize the replica even without a running replication connection (Oleksii).

This is useful in order to create replicas from the snapshots stored on S3 or FTP. A replication method that does not require a running replication connection should supply *no_master: true* in the yaml configuration. Those scripts will still be called in order if the replication connection is present.

Patronictl, API and DCS improvements

- Implement scheduled failovers (Feike Steenbergen).
 - Failovers can be scheduled to happen at a certain time in the future, using either patronictl, or API calls.
- Add support for *dbuser* and *password* parameters in patronictl (Feike).
- Add PostgreSQL version to the health check output (Feike).
- Improve Zookeeper support in patronictl (Oleksandr Shulgin)
- Migrate to python-etcd 0.43 (Alexander Kukushkin)

Configuration

- Add a sample systems configuration script for Patroni (Jan Keirse).
- Fix the problem of Patroni ignoring the superuser name specified in the configuration file for DB connections (Alexander).
- Fix the handling of CTRL-C by creating a separate session ID and process group for the postmaster launched by Patroni (Alexander).

Tests

Add acceptance tests with behave in order to check real-world scenarios of running Patroni (Alexander, Oleksii).

The tests can be launched manually using the *behave* command. They are also launched automatically for pull requests and after commits.

Release notes for some older versions can be found on project's github page.

11.26. Version 0.80 63

CHAPTER

TWELVE

CONTRIBUTING GUIDELINES

Wanna contribute to Patroni? Yay - here is how!

12.1 Chatting

Just want to chat with other Patroni users? Looking for interactive troubleshooting help? Join us on channel #patroni in the PostgreSQL Slack.

12.2 Reporting issues

If you have a question about patroni or have a problem using it, please read the *README* before filing an issue. Also double check with the current issues on our Issues Tracker.

12.3 Contributing a pull request

- 1) Submit a comment to the relevant issue or create a new issue describing your proposed change.
- 2) Do a fork, develop and test your code changes.
- 3) Include documentation
- 4) Submit a pull request.

You'll get feedback about your pull request as soon as possible.

Happy Patroni hacking ;-)

CHAPTER

THIRTEEN

INDICES AND TABLES

- genindex
- modindex
- search